CableLabs®

DIGITAL CERTIFICATE AUTHORIZATION AGREEMENT

For Devices Built in Compliance with the DOCSIS® 3.0, 3.1, 4.0, PacketCable, DPoE & Remote PHY Specifications

This	Digital		Authorization ective Date"), by	0	` _			
		tock members	hip corporation velow ("Manufact	with offices at				, ,
Manuf	acturer Org	ganization Nan	ne (Full Legal Name	e of Entity executi	ng this Agree	ment):		
Main (Corporate H	Ieadquarters A	ddress:		Phon	ie:		

CableLabs maintains and operates a secure Public Key Infrastructure (PKI) for issuing Digital Certificates for use in a cable network. Digital Certificates assist the cable operator in deterring theft of cable services, or unauthorized access to cable services, and help protect subscriber privacy. CableLabs Code Verification Certificates allow for secure download of Device code into Devices operating on a cable network. CableLabs hereby grants to Manufacturer the right to obtain and use the Digital Certificates Code Verification Certificates to sign Manufacturer's code for download into its Devices in accordance with the terms and conditions of this Agreement.

CableLabs hereby grants to Manufacturer the right to obtain and use the appropriate Digital Certificates in its Devices in accordance with the terms and conditions of this Agreement. Please check one or more of the following options:

Legacy PKI	
DOCSIS 3.0 Device Certs or earlier	Complete Exhibits A, D1
DOCSIS 3.0 CVC	Complete Exhibit C1
PacketCable Device Certs	Completed Exhibits A, D2
DPoE (Legacy PKI) Device Certs	Complete Exhibits A, D3
DPoE (Legacy PKI) CVC	Complete Exhibit C2
New PKI	
DOCSIS 3.1 Device Certs	Complete Exhibits A, D4
DOCSIS 3.1 or Remote PHY CVC	Complete Exhibits A, C3
Remote PHY Device Certs	Complete Exhibits A, D5
DOCSIS 4.0 Device Certs	Complete Exhibits A, D6
DOCSIS 4.0 Trial Certs – Short Validity	Complete Exhibits A, D7
DOCSIS 4.0 CVC	Complete Exhibits C4
DPoE 2.0 (New PKI) Device Certs	Complete Exhibits A, D8
DPoE 2.0 (New PKI) CVC	Complete Exhibits C5
Server Certificates	
Remote PHY Server Certs	Complete Exhibits A, S1
AAA Server Certs	Complete Exhibits A, S2
DOCSIS 4.0 CMTS Device Cert	Complete Exhibit A, S3
DOCSIS 4.0 CMTS Trial Device Cert	Complete Exhibit A, S4

MANUFACTURER HAS READ AND AGREES TO BE BOUND BY THE TERMS AND CONDITIONS OF THIS AGREEMENT, INCLUDING THOSE TERMS CONTAINED ON THE FOLLOWING PAGES HEREOF.

In consideration of the mutual promises and covenants contained herein, and other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, the parties have entered into this Agreement as of the Effective Date.

CABLE TELEVISION LABORATORIES, INC.	MANUFACTURER NAME:
By:	By:
Name:	Name:
Title:	Title:
Date:	Date:

Agreement

1.0 <u>Definitions</u>

- 1.1. "Certificate Manager" means a service manager identified by CableLabs that manages certain aspects of the CableLabs PKI.
- 1.2. "Compliant" means that the Device is Certified or Qualified (as defined in the CableLabs' Certification Wave Guidelines) by the DOCSIS Certification Board; or the device, in CableLabs' ultimate determination, is constructed to the appropriate DOCSIS specification.
- 1.3. "CVC" means a code verification certificate that is signed by the DOCSIS Root CA for DOCSIS 3.0 and earlier Devices, signed by the CableLabs CVC CA for DOCSIS 3.1 Devices or signed by the Remote PHY CA, as is appropriate. A CVC is a type of Digital Certificate.
- 1.4. "Device" means a Manufacturer's Compliant product.
- 1.5. "Device Certificate" means a Digital Certificate installed in a Device to authenticate the Device to the cable network.
- 1.6. "Digital Certificate" means an electronic identification key that allows for the authentication of Devices on the cable network or, in the case of a CVC, ensures secure software downloads from a cable operator to a cable subscriber.
- 1.7. "CA" means a Certification Authority, which is hosted by a third party and is signed by the Root CA.
- 1.8. "Root CA" means the highest CA in the DOCSIS PKI and is the trust point for all certificates that are issued by the DOCSIS PKI.
- 1.9. "Public Key Infrastructure" (PKI) means the architecture, organization, techniques, practices, and procedures that collectively support the implementation and operation of a digital certificate-based public key cryptographic system.
- 1.10. "Wrongful Use" means Manufacturer has knowingly or with gross negligence embedded a Digital Certificate in any other product or application that is not Compliant.

2.0 <u>Digital Certificate Authorization</u>

2.1. Upon receipt of a complete and executed Agreement, payment of appropriate fees (see section 5.0), the Manufacturer's information (see Exhibit A), the Naming Documents (see Exhibit D1-D8, C1-C5, & S1-S4), a Certificate Signing Request (CSR) file in PKCS#10 format (for Exhibit C1-C5, S1-S5), and verification of Manufacturer's identity for security purposes, CableLabs will authorize Manufacturer to receive Digital Certificates.

3.0 <u>Use of Digital Certificates and Request/Receipt of Certificates</u>

- 3.1. **Embedding of Digital Certificates.** Manufacturer shall not embed the Digital Certificates in any Device that is not Compliant or that is associated with a private key that Manufacturer knows or should have known was stolen, intercepted or otherwise compromised in any way.
- 3.2. Security of Digital Certificate Private Keys. Manufacturer shall safeguard the Digital Certificates and associated private keys to ensure that the private keys are not lost, stolen, embedded in a product other than a Device, or otherwise used in a manner that may compromise, or actually does compromise, the CableLabs PKI, as CableLabs may determine in its sole discretion. Manufacturer shall immediately notify CableLabs at pkiops@cablelabs.com if Manufacturer's digital certificates, including the CVC, are thought to be or are actually, lost, stolen or otherwise compromised.
- 3.3. Manufacturer is solely liable for all code signed with the Manufacturer's CVC. Manufacturer is responsible to ensure that the code signed with the Manufacturer's CVC works appropriately, does not cause harm to those who rely upon the code, that the code operations are lawful, and that the code does not infringe intellectual property rights. Manufacturer shall ensure that its CVC shall only be used

to sign its own Device code.

- 3.4. Automated Request/Receipt of Digital Certificates. Within thirty (30) days after receipt of the Annual Maintenance Fee, CableLabs shall cause the Certificate Manager to activate a Manufacturer account for securely obtaining Digital Certificates in an automated fashion.
- 3.5. No Other Rights. CableLabs retains all right, title, and interest in and to CableLabs' Root CAs and CableLabs' Intermediate CAs and any associated trade secrets or other proprietary information associated therewith that is provided by CableLabs to Manufacturer herein. CableLabs grants no rights in any trademark, trade name, service mark, business name or goodwill in the trademarks "CableLabs" or "DOCSIS".

4.0 Term and Termination

- 4.1. **Term**. The term of this Agreement shall begin on the Effective Date and shall continue until terminated earlier under the provisions of this Section.
- 4.2. **Termination by Manufacturer.** Manufacturer may terminate this Agreement, with or without cause, by giving CableLabs sixty days written notice of such termination.
- 4.3. **Termination by CableLabs.** CableLabs may terminate this Agreement for material breach of this Agreement by Manufacturer, where such breach is not cured within sixty days of notice to Manufacturer; or, where such breach is incapable of cure at the time of the material breach. Examples of breach include,but are not limited to: Manufacturer's Device Certificate private keys have been lost, stolen, intercepted or otherwise compromised in any way, a court or governmental agency orders CableLabs to revoke Manufacturer authorization, or a series of non-material breaches of this Agreement by Manufacturer.
- 4.4. **Termination for Wrongful Use.** If this Agreement is terminated due to Wrongful Use, in addition to revoking CableLabs' authorization for Manufacturer to receive Digital Certificates, CableLabs shall receive all revenue Manufacturer receives from Wrongful Use. CableLabs' receipt of revenue from Wrongful Use is in addition to any damages CableLabs is entitled to receive by law.
- 4.5. Effect of Agreement Termination or Certificate Revocation. If this Agreement is terminated, or Digital Certificates are revoked, Manufacturer shall discontinue using such Digital Certificate(s) and cease embedding or otherwise using such Digital Certificate(s) in any or all affected Device(s). Manufacturer shall keep secret or destroy any unused or revoked Digital Certificates and any associated private keys, and take such other action as is reasonably directed by CableLabs. Notwithstanding any termination of this Agreement, un-revoked Digital Certificate(s) used in Device(s) that are no longer under the control of Manufacturer shall be valid until the expiration of their validity period as stated in the DOCSIS or Remote PHY specifications.

5.0 Fees

- 5.1. **Fees**. Manufacturer shall pay to CableLabs in advance. (Please contact CableLabs at pkiops@CableLabs.com for fee information). CableLabs may, upon thirty (30) days' prior notice, modify the Fees.
- 5.2. **Applicable Taxes**. CableLabs is exempt from income tax in the United States under Section 501(c)(6) of the Internal Revenue Code. The Fees paid by Manufacturer hereunder are exclusive of, and Manufacturer shall pay, all sales, use, value added, excise, income tax, withholding tax, and any and all other taxes (other than income taxes) or other costs or fees that may be levied upon either party by taxing authorities other than the United States in connection with this Agreement (except for taxes based on CableLabs' employees) and shall pay all income taxes that may be levied upon Manufacturer.

6.0 Warranty, Indemnity, Limitation of Liability

- 6.1. **Indemnification**. Manufacturer shall indemnify and hold harmless CableLabs, its members, directors, employees, and agents (including the entity that holds the Root Certificates and the CA Certificates that issue the CVCs and Device Certificates), for any claim arising from or related to Manufacturer's use and implementation of the Digital Certificates, including, without limitation, Wrongful Use. Such indemnification obligations shall be subject to: (i) CableLabs notifying Manufacturer, in writing of any such claim and (ii) Manufacturer having the sole control of the defense and all negotiations for any settlement or compromise of such claim, provided, however, that CableLabs may participate in such defense using counsel of its own choice and at its sole expense.
- 6.2. **Disclaimer of Warranties. TO THE MAXIMUM EXTENT PERMITTED BY LAW:** THE DIGITAL CERTIFICATES, USE OF WHICH IS AUTHORIZED HEREUNDER, ARE PROVIDED "AS IS" AND CABLELABS DISCLAIMS ALL REPRESENTATIONS AND WARRANTIES, FOR THE DIGITAL CERTIFICATES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT, ACCURACY, SECURITY, OR NON-INFRINGEMENT.
- 6.3. Limitation of Liability. TO THE MAXIMUM EXTENT PERMITTED BY LAW: WITH THE EXCEPTION OF MANUFACTURER'S "WRONGFUL USE", IN NO EVENT WILL EITHER PARTY BE LIABLE UNDER THIS AGREEMENT FOR ANY SPECIAL, INDIRECT, CONSEQUENTIAL, OR PUNITIVE DAMAGES INCLUDING, WITHOUT LIMITATION, DAMAGES WHICH REFLECT LOST BUSINESS, PROFITS OR REVENUE OBTAINED OR LOST, OR THE COSTS OF RECONSTRUCTING DATA OR REBUILDING DEVICES, WHETHER DAMAGES OF THIS NATURE WERE FORESEEABLE OR NOT, AND EVEN IF THAT PARTY HAD BEEN ADVISED THAT DAMAGES OF THIS NATURE WERE POSSIBLE. IN NO EVENT SHALL EITHER PARTY BE LIABLE UNDER THIS AGREEMENT TO THE OTHER PARTY FOR ANY AMOUNT EXCEEDING THE FEES ACTUALLY RECEIVED BY CABLELABS FROM MANUFACTURER.
- 6.4. Manufacturer Liability for Manufacturer Supplied Information. Manufacturer is solely liable for the resulting Digital Certificates created from the information Manufacturer provides in the exhibits attached hereto and incorporated by this reference. Failure to completely and correctly complete the attached exhibits will result in incorrect Digital Certificates.

7.0 General

- 7.1. **Notices**. Any notices, required or permitted to be made or given to either party pursuant to this Agreement shall be in writing and shall be delivered to the address set forth on the first page, or to such other address as the receiving party may have designated by written notice given to the other party. Legal notices shall be sent to the person listed as the Legal Contact. Technical notices shall be sent to the name listed as the Technical Contact.
- 7.2. **Export**. Manufacturer shall not export or re-export (directly or, knowingly indirectly) any Digital Certificates, documentation, or other technical data without complying with the U.S. Export Administration Act and the associated regulations.
- 7.3. **Audit**. CableLabs or its duly authorized representatives shall be permitted, upon reasonable notice, and subject to appropriate non-disclosure terms, to inspect all records pertaining to the Digital Certificates, including, without limitation, records related or pertaining to the security, usage, and distribution of the Digital Certificates. The inspections may be made notwithstanding termination of this Agreement while any outstanding claim remains unsettled in the view of either party. In the event CableLabs needs to conduct an audit due to a discrepancy discovered in a prior audit, CableLabs may charge Manufacturer for reasonable airfare, meals and lodging for such subsequent audit.
- 7.4. **Irreparable Harm**. Manufacturer acknowledges and agrees that due to the unique and sensitive nature of the use of the Digital Certificates authorized hereunder, including any private keys therein, there can

- be no adequate remedy at law for breach of Manufacturer's obligations hereunder, that such breach or unauthorized use or release of the Digital Certificates will cause material damage and result in irreparable harm. Therefore, upon any such breach or any threat thereof, CableLabs shall be entitled to appropriate equitable relief in addition to whatever remedies it might have at law.
- 7.5. **Amendments**. No amendment or modification hereof shall be valid or binding upon the parties unless made in writing and signed by both parties hereto.
- 7.6. **Waiver**. Any waiver by either party hereto of any breach of this Agreement shall not constitute a waiver of any subsequent or other breach.
 - 7.7. **Survival**. Sections 1, 3.1, 3.2, 3.3,4.4, 4.5, 6, 7.3, 7.7, 7.9, 7.10, and 7.11 shall survive any termination of the Agreement.
- 7.8. **Assignment**. Manufacturer may not assign this Agreement without the express, prior written approval of CableLabs.
- 7.9. **Entire Agreement.** This Agreement embodies the entire understanding of the parties with respect to the subject matter hereof and merges all prior discussions between them, and neither of the parties shall be bound by any conditions, definitions, warranties, understandings or representations with respect to the subject matter hereof other than as expressly provided herein.
- 7.10. **Severability.** If any provision of this Agreement shall be held to be invalid, illegal or unenforceable, the validity, legality and enforceability of the remaining provisions shall not be in any way affected or impaired thereby.
- 7.11. **Governing Law; Forum.** This Agreement shall be construed in accordance with the law of the state of Colorado, without regard to its conflict of laws rules. The parties here by agree to exclusive jurisdiction and venue in the federal/state courts located in the city and county of Denver, Colorado.

EXHIBIT A -**COMPANY INFORMATION**

PLEASE COMPLETE ALL FIELDS ACCURATELY WITH THE APPROPRIATE INFORMATION

Notes:

- 1) Fields marked with (*) are compulsory for the specified section.
- 2) When entering phone numbers, ensure that you include country and area codes.
- 3) Organization name is a compulsory field and MUST be the legally registered business name.
- 4) Use of special characters such as () & * \% \$ # $\overline{(0)}$! += \^ is not permitted in the **Organization name**.

(C	ſ)	R	1	P	ſ)	R	4	7	Γ	Н	1	Г	١	I	F	ſ	R	V	1	A	7	Γ	(n	1	V	•

Manufacturer Organization Name*: (Full Legal Name or Registered Trade Name)	
Legal Headquarters Address*: (city, state or province, postal code, country)	
D-U-N-S Number:	
	at in the Authentication process. If you do not know your company's v.dnb.com. Note: The Legal Company Name and Corporate Address in the D-U-N-S Database.
MANUFACTURER'S CORPORATE CONTAC	CT:
	ng this service and is responsible for the device manufacturing system. The ncluding administrators who will request Certificates from CableLabs. The or events occurring with this service.
First Name*:	Last Name*:
Title*:	E-mail*:
Phone*:	
PRIMARY ADMINISTRATOR CONTACT: This is the general value is outhorized to request and received.	va contificates
This is the person who is authorized to request and received as the Corporate Contact? YES	NO
First Name*:	Last Name*:
Title*:	E-mail*:
Phone*:	
Address*:	City and State*:
Zip/Postal Code*:	Country*:

SECOND ADMINISTRATOR CONTACT:

This person is authorized to back-up the primary administrator contact. This person is also authorized to request and receive certificates.

First Name*: Title*: Phone*: Address*: Zip/Postal Code*:	Last Name*: E-mail*: City and State*:
Phone*: Address*:	
Address*:	City and State*
	City and State*:
7in/Postal Code*:	City and State.
Zip/i ostai Code.	Country*:
MANUFACTURER'S TECHNICAL CONTACT This is a technical contact, typically in development engold with CableLabs.	gineering, authorized to discuss technical issues related to the DO
First Name*:	Last Name*:
Title*:	E-mail*:
Phone*:	
MANUFACTURER'S LEGAL CONTACT This person will receive a copy of any contractual related no	otices.
First Name*:	Last Name*:
Title*:	E-mail*:
Phone*:	
Address*:	City and State*:
Zip/Postal Code*:	Country*:
MANUFACTURER'S BILLING CONTACT: This is the person responsible for payment and notifying Catepresentative. Please list any special instructions for billing	ableLabs of any billing changes, for example an accounts payable g (e.g. require purchase order, submit invoice to portal)
First Name*:	Last Name*:
Title*:	E-mail*:
Phone*:	
Special Instructions:	
Special Instructions:	

EXHIBIT D1 - DOCSIS® CABLE MODEM DEVICE CERTIFICATE - NAMING APPLICATION

(for use with DOCSIS 3.0 and earlier devices)

Please complete the Requestor Information section and the Subject DN of the Certificate Format.

Requestor Information:									
Manufacturer Organization Name:									
Contact Name:	Phone:								

Contact E-mail:

Certificate Format (To be completed by Manufacturer)

Base Certificate	
Subject DN	c=
	0=
	ou=
	cn= <(MAC Address (to be entered via the account requesting portal)>

Other Certificate Contents (For CableLabs and CA use only):

Other Certificate Con	tents (For v	ableLabs and CA use only):								
Version		v3								
Serial number		Unique Positive Integer assigned by the CA								
Issuer DN		c=US								
		o=CableLabs								
		ou=DOCSI	S							
		ou=D CA0	ou=D CA00004 (Sectigo)							
		cn=CableL	abs Cable M	odem Certificate Authority						
notBefore		yymmdd000000Z (Key Ceremony Date)								
notAfter		yymmdd235959Z (20 years*)								
Public Key Algorithm		sha1withRSAEncryption (1 2 840 113549 1 1 5)								
Keysize		1024-bits								
Parameters		NULL								
Standard Extensions	OID	Required	Criticality	Value						
keyUsage	{id-ce 15}	Yes	FALSE	n/a						
digitalSignature			Set							
keyEncipherment			Set							
authorityKeyIdentifier	{id-ce 35}	Yes	FALSE	Calculated per Method 1						
keyIdentifier				<same as="" ca="" certificate="" in="" subjectkeyidentifier=""></same>						

By signing this document, you are hereby authorizing CableLabs to set your Device Certificates to the extensions as noted above.

Approved by Customer's Technical or Administrator Contact	Date

EXHIBIT D2 - PACKETCABLE DEVICE CERTIFICATE NAMING APPLICATION

C N	n:												
Company Name:			T										
Administrator Name	!			Phone:									
Administrator E-mai	1:												
Certificate Format (To	o Be Comple	eted by M	anufacturer	·):									
Subject DN		c=	-										
3		o=											
		st=											
]=											
		ou=PacketCable											
		ou=											
		ou=											
		cn=											
Version Serial number Issuer DN		Unique P $c = US$	v3 Unique Positive Integer assigned by the CA c = US o = CableLabs, Inc.										
		ou=PacketCable ou= PC CA00001 - G3 (Sectigo) cn = CableLabs, Inc. PacketCable CA											
notBefore		yymmdd000000Z (Key Ceremony Date)											
notAfter		yymmdd235959Z (20 years)											
Public Key Algorithm			Sha1WithRSAEncryption (1 2 840 113549 1 1 5)										
Keysize		1024-bits											
Parameters		NULL	NULL										
Standard Extensions	OID	Include	Criticality	Value									
keyUsage	{id-ce 15}	X	TRUE	n/a									
digitalSignature				Set									
keyEncipherment				Set									
	{id-ce 35}	X	FALSE	Calculated per Method 1 <same as="" ca="" certificate="" in="" subjectkeyidentifier=""></same>									
authorityKeyIdentifier keyIdentifier													

EXHIBIT D3 DPoE ONU DEVICE CERTIFICATE NAMING APPLICATION (for use with DPoE ONU devices)

Requestor Information:

Company Name:												
Contact Name:		Phone:										
Contact E-mail:												
Certificate Format (To	Re Com	oleted by Man	ufacturer)	•								
Subject DN	De Com	C=										
3		O=										
	-	OU=										
		CN=<(MAC Address (to be entered via the account requesting portal)>										
	I.	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·									
Other Certificate Cont	ents (For		d CA use	only):								
Issuer DN		c=US										
		o=CableLabs	G2 (DigiC	'art)								
		ou=CA00008 – G2 (DigiCert) cn=CableLabs Device Certification Authority										
Not Before		<issuing date=""></issuing>		·								
Not After		<issuing date=""> + Up to 20 yrs [*]</issuing>										
Public Key Algorithm		RSA (1 2 840 113549 1 1)										
Signature Algorithm		Sha256WithRSAEncryption (1 2 840 113549 1 1 11)										
Keysize		RSA: 2048-bits										
Parameters		NULL										
Standard Extensions	OID	Required Critical Value										
keyUsage	{id-ce 15}	Yes	TRUE									
digitalSignature				Set (1)								
keyEncipherment				Set (1)								
extendedKeyUsage	{id-ce 37}	Yes	FALSE									
svcONU				Set (<1.3.6.1.4.1.4491.2021.2.1.4>)								
clientAuth				Set (id-kp-clientAuth)								
serverAuth				Set (id-kp-serverAuth)								
authorityKeyIdentifier	{id-ce 35}	Yes	FALSE									
keyldentifier				Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" number="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">)</sha-1>								
certificatePolicies	{id-ce 32}	Yes	FALSE									
certPolicyId				Set (<1.3.6.1.4.1.4491.2021.1.5>)								
policyQualifiers				Not Set								

FALSE

Yes

{id-pe 1}

authorityInfoAccess

ocsp	{id-ad 1}			Set (<http authoritative="" ocsp="" of="" responder="" the="" uri="">)</http>
calssuers	{id-ad 2}			Set (<http ca="" certificate="" der="" format="" in="" issuing="" of="" the="" uri="">)</http>
crlDistributionPoints	{id-ce 31}	Yes	FALSE	
distributionPoint				Set (<http crl="" der="" for="" format="" in="" relevant="" uri="">)</http>

By signing this document, you are hereby authorizing	ng CableLabs to set your	Device Certificates t	o the contents and
extensions as noted above.			

Approved by Customer	Date

EXHIBIT D4 -

DOCSIS® CABLE MODEM DEVICE CERTIFICATE - NAMING APPLICATION (for use with DOCSIS 3.1 devices)

Requestor Information:			
Company Name:			
Contact Name:		Phone	

Certificate Format (To be completed by Manufacturer):

Contact E-mail:

Subject DN	c=
	0=
	ou=
	cn= <(MAC Address (to be entered via the account requesting portal)>

Other Certificate Contents (For CableLabs and CA use only):

Other Certificate Contents (For CableLabs and CA use only):							
Version		v3					
Serial number		Unique	Positive In	teger assigned by the CA			
Issuer DN		c=US	c=US				
		o=CableLabs					
			ou = Device CA04 (Sectigo)				
		cn=Cab	oleLabs Dev	rice Certificate Authority			
notBefore		yymmo	dd000000Z	(Key Ceremony Date)			
notAfter		yymmdd235959Z (20 years**)					
Public Key Algorithm		Sha256withRSAEncryption (1 2 840 113549 1 1 11)					
Keysize		2048-bits					
Parameters		NULL					
Standard Extensions	OID	Includ Criticality Value					
keyUsage	{id-ce 15}	X TRUE					
digitalSignature		Set (1)					
keyEncipherment		Set (1)					
authorityKeyIdentifier	{id-ce 35}	X FALSE					
keyIdentifier				Calculated per Method 1			

By signing this d	locument, you are	hereby authorizing	g CableLabs to set y	your Device Certific	cates to the extensions
as noted above.					

Approved by Customer	Date

EXHIBIT D5 REMOTE PHY (R-PHY) DEVICE CERTIFICATE - NAMING APPLICATION (for use with Remote PHY devices)

Company Name:							
Contact Name:				Phone:			
Contact E-mail:							
Certificate Format (To	o be comple	ted by Man	ufacturer):				
Subject DN		c=					
		0=					
		ou=					
		cn= <(MA	.C Address (t	o be entered via the a	ccount requesting portal)>		
Other Certificate Con	tents (For C	`ableLabs a	and CA use o	only):			
Version	101105 (1 01 0	v3		J			
Serial number		Unique Po	sitive Integer	r assigned by the CA			
Issuer DN		c=US					
		o=CableLa	o=CableLabs				
		ou = Device CA04 (Sectigo)					
		cn=CableLabs Device Certificate Authority					
notBefore			yymmdd000000Z (Key Ceremony Date)				
notAfter		yymmdd2	yymmdd235959Z (20 years**)				
Public Key Algorithm		Sha256wit	Sha256withRSAEncryption (1 2 840 113549 1 1 11)				
Keysize		2048-bits					
Parameters	NULL						
Standard Extensions	OID	Required	Criticality	Value			
keyUsage	{id-ce 15}	Yes	TRUE				
digitalSignature				Set (1)			
keyEncipherment		Set (1)					
authorityKeyIdentifier	{id-ce 35}	Yes	FALSE				
keyIdentifier				Calculated per Meth	nod 1		
		•					
D : : 4: 1		1 .1					
	nt, you are l	nereby author	orizing Cable	Labs to set your Dev	rice Certificates to the extensions		
as noted above.							

Approved by Customer Date

EXHIBIT D6 DOCSIS® CABLE MODEM DEVICE CERTIFICATE - NAMING APPLICATION (for DOCSIS 4.0 devices)

Requestor Information:

Company Name:	
Contact Name:	Phone:
Contact E-mail:	

Certificate Format (To Be Completed by Manufacturer):

Subject DN	c=
	0=
	ou= DOCSIS 4.0 CM Certificate
	cn= <(MAC Address (to be entered via the account requesting portal)>

Other Certificate Contents (For CableLabs and CA use only):

other certificate conte	21105 (1 01 0		use only je		
Version		v3 (0x02)			
Serial number	Unique Positive Integer assigned by the CA				
Issuer DN		c=US o=CableLabs			
		o=CableLabs ou=Device CA05 (Saction)		
		cn=CableLabs Dev	• ,	tion Authority	
Not Before		<issuing date=""></issuing>	ioc common	naon manon y	
Not After		<issuing date=""> + 2</issuing>	0 years		
Public Key Algorithm		RSA (1 2 840 1135	•		
Signature Algorithm		Sha256WithRSAE	ncryption (1	2 840 113549 1 1 11)	
Keysize		RSA: 2048-bits			
Parameters		NULL			
Standard Extensions	OID	Required	Critical	Value	
keyUsage	{id-ce 15}	Yes	TRUE		
digitalSignature				Set (1)	
keyEncipherment				Set (1)	
extendedKeyUsage	{id-ce 37}	Yes	FALSE		
svcCM				Set (<1.3.6.1.4.1.4491.2021.2.1.2>)	
clientAuth				Set (id-kp-clientAuth)	
serverAuth				Set (id-kp-serverAuth)	
authorityKeyIdentifier	{id-ce 35}	Yes	FALSE		
keyldentifier				Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" number="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">)</sha-1>	
certificatePolicies	{id-ce 32}	Yes	FALSE		
certPolicyId				Set (<1.3.6.1.4.1.4491.2021.1.5>)	
policyQualifiers				Not Set	
crlDistributionPoints	{id-ce 31}	Yes	FALSE		
distributionPoint				Set (<http crl="" der="" for="" format="" in="" relevant="" uri="">)</http>	
authorityInfoAccess	{id-pe 1}	Yes	FALSE		

ocsp	{id-ad 1}	Set (<http authoritative="" ocsp="" of="" responder="" the="" uri="">)</http>
caIssuers	{id-ad 2}	Set (<http ca="" certificate="" der="" format="" in="" issuing="" of="" the="" uri="">)</http>

By signing this document you are hereby authorizing CableLabs to set your Device Certificates to the extensions as noted above.

Approved by Customer	Date

EXHIBIT D7 DOCSIS® CABLE MODEM TRIAL DEVICE CERTIFICATE - NAMING APP (for DOCSIS 4.0 devices)

Requestor Information:

Company Name:	
Contact Name:	Phone:
Contact E-mail:	

Certificate Format (To Be Completed by Manufacturer):

Subject DN	c=
	0=
	ou= DOCSIS 4.0 Trial CM Certificate
	cn= <(MAC Address (to be entered via the account requesting portal)>

Other Certificate Contents (For CableLabs and CA use only):

Version		v3 (0x02)	-			
Serial number		Unique Positive Integer assigned by the CA				
Issuer DN	c=US o=CableLabs ou=Device CA05 (Sectigo) cn=CableLabs Device Certification Authority					
Not Before		<issuing date=""></issuing>				
Not After		<issuing date=""> +</issuing>	- 90 days			
Public Key Algorithm		RSA (1 2 840 11	3549 1 1)			
Signature Algorithm		Sha256WithRSA	Encryption	n (1 2 840 113549 1 1 11)		
Keysize		RSA: 2048-bits				
Parameters		NULL				
Standard Extensions	OID	Required	Value			
keyUsage	{id-ce 15}	Yes	TRUE			
digitalSignature				Set (1)		
keyEncipherment				Set (1)		
extendedKeyUsage	{id-ce 37}	Yes FALSE				
svcCM				Set (<1.3.6.1.4.1.4491.2021.2.1.2>)		
clientAuth				Set (id-kp-clientAuth)		
serverAuth				Set (id-kp-serverAuth)		
authorityKeyIdentifier	{id-ce 35}	Yes	FALSE			
keyIdentifier				Set (<sha-1 bit<br="" hash="" of="" the="" value="">STRING subjectPublicKey (excluding the tag, length, and number of unused bits)>)</sha-1>		
certificatePolicies	{id-ce 32}	Yes	FALSE			
certPolicyId				Set (<1.3.6.1.4.1.4491.2021.1.5>)		
policyQualifiers				Not Set		
crlDistributionPoints	{id-ce 31}	Yes	FALSE			

distributionPoint				Set (<http crl="" der="" for="" format="" in="" relevant="" uri="">)</http>
authorityInfoAccess	{id-pe 1}	Yes	FALSE	
ocsp	{id-ad 1}			Set (<http authoritative="" ocsp="" of="" responder="" the="" uri="">)</http>
calssuers	{id-ad 2}			Set (<http ca="" certificate="" der="" format="" in="" issuing="" of="" the="" uri="">)</http>

By signing this document, you are nereby authorizing C	able Labs to set your Device Certificates to the extensions as
noted above.	
Approved by Customer	Date

EXHIBIT D8 DPoE 2.0 ONU DEVICE CERTIFICATE NAMING APPLICATION (for use with DPoE ONU devices)

Requestor Information:

Company Name:	
Contact Name:	Phone:
Contact E-mail:	
Certificate Format (To Be Completed by Manufacturer):	

Subject DN	C=	
	O=	
	OU=	
	CN=<(MAC Address (to be entered via the account requesting portal)>

Other Certificate Contents (For CableLabs and CA use only):

Issuer DN c=US			*/			
		o=CableLabs				
	ou=Device Ca	A04 (Sectig	ro)			
		cn=CableLab	s Device Ce	ertification Authority		
Not Before		<issuing date<="" td=""><td>;></td><td></td></issuing>	;>			
Not After <issuing date=""> + Up to 2</issuing>			20 yrs [*]			
Public Key Algorithm RSA (1 2 840 113549 1			113549 1 1			
Signature Algorithm		Sha256WithR	SAEncrypt	ion (1 2 840 113549 1 1 11)		
Keysize		RSA: 2048-bi	its			
Parameters		NULL				
Standard Extensions	OID	Required	Critical	Value		
keyUsage	{id-ce 15}	Yes	TRUE			
digitalSignature				Set (1)		
keyEncipherment				Set (1)		
extendedKeyUsage	{id-ce 37}	Yes	FALSE			
svcONU				Set (<1.3.6.1.4.1.4491.2021.2.1.4>)		
clientAuth				Set (id-kp-clientAuth)		
serverAuth				Set (id-kp-serverAuth)		
authorityKeyIdentifier	{id-ce 35}	Yes	FALSE			
keyIdentifier				Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" number="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">)</sha-1>		
certificatePolicies	{id-ce 32}	Yes	FALSE			
certPolicyId				Set (<1.3.6.1.4.1.4491.2021.1.5>)		
policyQualifiers				Not Set		
authorityInfoAccess	{id-pe 1}	Yes	FALSE			
ocsp	{id-ad 1}			Set (<http authoritative="" ocsp="" of="" responder="" the="" uri="">)</http>		
calssuers	{id-ad 2}			Set (<http ca="" certificate="" der="" format="" in="" issuing="" of="" the="" uri="">)</http>		

crlDistributionPoints	{id-ce 31}	Yes	FALSE	
distributionPoint				Set (<http crl="" der="" for="" format="" in="" relevant="" uri="">)</http>

By signing this document, you are hereby authorizing CableLabs to set your Device Certificates to the contents and extensions as noted above.

Approved by Customer	Date

EXHIBIT C1 DOCSIS® MANUFACTURER (SIGNER) CVC - NAMING APPLICATION (for use with DOCSIS 3.0 and earlier devices)

Important! Please send your CSR (PKCS# 10) file to: pkiops@cablelabs.com.

Manufacturer Organi	zation Name	:		
Contact Name:			Phone:	
Contact E-mail:				
Certificate Format (To be compl	eted by Manufacturer)		
Subject DN		c=		
		o=		
		ou=DOCSIS		
		cn=Code Verification Certifica	ate	
Other Certificate Co	ntents (For	CableLabs and CA use only)) :	
Base Certificate		Value		
Version		2		
Serial Number		Integer		
Issuer DN		c=US o=Data Over Cable Services Inter ou=Cable Modems cn=DOCSIS Cable Modem Root	•	Cert)
notBefore		yymmdd000000Z (Key Ceremon		,
notAfter		yymmdd235959Z (10 years)	<u>, , , , , , , , , , , , , , , , , , , </u>	
Public Key Algorithm		sha1withRSAEncryption (1 2 840) 113549 1 1 5)	
i done ite j i ngondini		2048-bits	·	
Keysize		NULL		
Keysize		TOLL		
Keysize Parameters	OID	Include	Criticality	Value
	OID {id-ce 37}		Criticality TRUE	n/a 1.3.6.1.5.5.7.3.3

Approved by Customer

Date

EXHIBIT C2 - DPoE MANUFACTURER (SIGNER) CVC - NAMING APPLICATION

Important! Please include your CSR (PKCS# 10) file and send to: pkiops@cablelabs.com.

Requestor Information	1:			
Manufacturer Organiza	ation Name:			
Contact Name:				Phone:
Contact E-mail:				
Certificate Format (To	be comple	eted by Ma	nufacturer	•)
Subject DN		c=		·
		0=		
		ou=DPoE		
		cn=Code V	erification (Certificate
Other Certificate Con	tents (For C	CableLabs	and CA us	ee only):
Version		v3		
Serial number		Unique Po	sitive Intege	er assigned by the CA
Issuer DN		c=US		
		o=CableLa	abs	
			CA (DigiCe	
				Certification Authority
notBefore				ide the desired start date for the certificate's validity period
				00000Z) If no date is provided, the signing date and
		time will b	e usea (Key	(Ceremony Date)
notAfter		yymmdd2.	35959Z (up	to 10 years)
Public Key Algorithm			thRSAEncr	yption (1 2 840 113549 1 1 11)
Keysize		2048-bits		
Parameters		NULL		
Standard Extensions	OID	Required	Criticality	Value
extKeyUsage	{id-ce 37}	Yes	TRUE	
codeSigning				Set
authorityKeyIdentifier	{id-ce 35}	Yes	FALSE	
keyIdentifier				Calculated per Method 1
*The manufacturer's	company n	ame must	match the	company name in the manufacturer's CM device
certificate.	r J			P. J
	ent, you ar	e hereby a	uthorizing (CableLabs to set your CVC to the extensions as noted
above.				
Approved by Customer				Date

EXHIBIT C3-DOCSIS® MANUFACTURER (SIGNER) CVC NAMING APPLICATION (for DOCSIS 3.1 and Remote PHY devices)

Important! Please include your CSR (PKCS# 10) file and send to: pkiops@cablelabs.com.

Requestor Information	n:			
Manufacturer Organiz	ation Name:			
Contact Name:				Phone:
Contact E-mail:				
Certificate Format (To	o be comple	eted by Ma	nufacturer	·)
Subject DN		c=		
		0=		
		ou=DOCSI	S	
		en=Code V	erification C	Certificate
Other Certificate Con	tents (For C	CableLabs	and CA us	e only):
Version	`	v3		•
Serial number		Unique Po	sitive Intege	er assigned by the CA
Issuer DN			CA01 (Cable	eLabs) Certification Authority
notBefore		If needed, (format: Y	please provi YMMDD00	ide the desired start date for the certificate's validity period 00000Z) If no date is provided, the signing date and Ceremony Date)
notAfter		yymmdd23	35959Z (up	to 10 years)
Public Key Algorithm		Sha256Wi	thRSAEncr	yption (1 2 840 113549 1 1 11)
Keysize		2048-bits		
Parameters		NULL		
Standard Extensions	OID	Required	Criticality	Value
extKeyUsage	{id-ce 37}	Yes	TRUE	
codeSigning				Set
authorityKeyIdentifier	{id-ce 35}	Yes	FALSE	
keyIdentifier				Calculated per Method 1
certificate.	-			company name in the manufacturer's CM device CableLabs to set your CVC to the extensions as noted
Approved by Customer				Date

EXHIBIT C4 DOCSIS® MANUFACTURER (SIGNER) CVC NAMING APPLICATION (for DOCSIS 4.0)

Important! Please include your CSR (PKCS# 10) file and send to: pkiops@cablelabs.com.

	Req	uestor	Inform	ation
--	-----	--------	--------	-------

Manufacturer Organization Name:	
Contact Name:	Phone:
Contact E-mail:	

Certificate Format (To be completed by Manufacturer)

Subject DN	c=
	0=
	ou=DOCSIS
	cn=Code Verification Certificate

Other Certificate Contents (For CableLabs and CA use only):

Version Version	terres (1 or v	v3	ana Cirus	e onij).
Serial number		Unique Po	sitive Intege	er assigned by the CA
Issuer DN		c=US		
		o=CableLa	ıbs	
		ou= CVC	CA01 (Cabl	leLabs)
		cn= Cablel	Labs CVC (Certification Authority
notBefore				ide the desired start date for the certificate's validity period
				00000Z) If no date is provided, the signing date and
		time will b	e used (Key	Ceremony Date)
notAfter		yymmdd23	35959Z (up	to 10 years)
Public Key Algorithm		Sha256Wi	thRSAEncr	yption (1 2 840 113549 1 1 11)
Keysize		2048-bits		
Parameters		NULL		
Standard Extensions	OID	Required	Criticality	Value
extKeyUsage	{id-ce 37}	YES	TRUE	
codeSigning				Set
authorityKeyIdentifier	{id-ce 35}	YES	FALSE	
keyIdentifier				Calculated per Method 1
keyUsage	{id-ce 15}	NO	TRUE	
digitalSignature				Set (1)
crlDistributionPoints	{id-ce 31}	NO	FALSE	
distributionPoint				Set (<http crl="" der="" for="" format="" in="" relevant="" uri="">)</http>
certificatePolicies	{id-ce 32}	NO	FALSE	
certPolicyId				Set (<docsis certificate="" oid="" pki="" policy="">)</docsis>
policyQualifiers				Not Set
authorityInfoAccess	{id-pe 1}	NO	FALSE	
ocsp	{id-ad 1}			Set (<http authoritative="" ocsp="" of="" responder="" the="" uri="">)</http>
caIssuers	{id-ad 2}			Set (<http ca="" certificate="" der<="" in="" issuing="" of="" td="" the="" uri=""></http>

By signing this document, you are hereby authorizing CableLabs to set your CVC to the extensions as noted above.

Approved by Customer Date

EXHIBIT S1 - CABLELABS REMOTE PHY SERVER CERTIFICATE NAMING APPLICATION

Requestor Information	1:			
Organization Name:				
Requestor Name:				Phone:
Requestor E-mail:				Date of Application:
Certificate Format (To	be complete	d by Manuf	acturer)	
Subject DN	c=	•	,	
	o=			
	cn=	()		
	dnsName	e(s)=		
Other Certificate Cont	ents (For Co	hleLahs and	I CA usa an	lv)•
Version	chis (Fui Ca	v3	CA USC UII	iy).
Serial number			sitive Integer	assigned by the CA
Issuer DN		c=US		
		o=CableLa	bs	
		ou= Servic	e Provider C	A01 (CableLabs)
				Provider Certification Authority
notBefore			` •	Ceremony Date)
notAfter			5959Z (5 ye	,
Public Key Algorithm			hRSAEncry	ption (1 2 840 113549 1 1 11)
Keysize		2048-bits NULL		
Parameters	OID		C-:4:1:4	¥7.1
Standard Extensions	OID (1.1 - 15)	Required	Criticality	Value
keyUsage digitalSignature	{id-ce 15}	YES	TRUE	Set
keyEncipherment				Set
authorityKeyIdentifier	{id-ce 35}	YES	FALSE	Set
keyIdentifier	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1 LS	TALSE	Calculated per Method 1
subjectAltName	{id-ce 17}	YES	FALSE	Carearanea per mientou i
dNSName	(=== 22 17)	- 2-2		
urvorvanic	{id-ce 37}	No	FALSE	
	Tu-cc 37			C + ('11 A 41) NI + C +
extendedKeyUsage serverAuth	{id-cc 37}			Set (id-kp-serverAuth), or Not Set

EXHIBIT S2 -AAA SERVER CERTIFICATE NAMING APPLICATION

Requestor Information:

Organization Name:	
Requestor Name:	Phone:
Requestor E-mail:	Date of Application:

Certificate Format (To be completed by Manufacturer)

Subject DN	c=
	0=
	ou=Service Provide Certificate
	cn=
	dnsName(s)=

Other Certificate Cont	tents (For Cab	oleLabs and	d CA use on	ıly):		
Version v3						
Serial number	Unique Positive Integer assigned by the CA					
Issuer DN		c=US	c=US			
			o=CableLabs			
		ou= Service Provider CA01 (CableLabs)				
		cn= CableLabs Service Provider Certification Authority				
notBefore		• •		y Ceremony Date)		
notAfter			35959Z (5 y			
Public Key Algorithm			thRSAEncry	rption (1 2 840 113549 1 1 11)		
Keysize		2048-bits				
Parameters	1	NULL	1	L		
Standard Extensions	OID	Required	Criticality	Value		
keyUsage	{id-ce 15}	YES	TRUE			
digitalSignature				Set		
keyEncipherment				Set		
authorityKeyIdentifier	{id-ce 35}	YES	FALSE			
keyIdentifier				Calculated per Method 1		
extendedKeyUsage	{id-ce 37}	NO	TRIE			
serverAuth	{id-kp 1}			Set (id-kp-serverAuth), or Not Set		
clientAuth	{id-kp 2}			Set (id-kp-clientAuth), or Not Set		
oscpSigning	{id-kp 9}			Set (id-kp-oscpSigning), or Not Set		
timestamping	{id-kp 8}			Set (id-kp-timeStamping), or Not Set		
subjectAltName	{id-ce 17}	YES	FALSE			
dNSName				(See list above)		
certificatePolicies	{id-ce 32}	NO	FALSE			
certPolicyId				Set (<1.3.6.1.4.1.4491.2021.1.5>)		
policyQualifiers		No		Not Set		
crlDistributionPoints	{id-ce 31}	NO	FALSE			
distributionPoint		Set (<http crl="" der="" for="" for<="" in="" relevant="" td="" uri=""></http>				
authorityInfoAccess	{id-pe 1}	NO	FALSE			
ocsp	{id-ad 1}			Set (<http authoritative="" ocsp="" of="" responder="" the="" uri="">)</http>		

caIssuers	{id-ad 2}		Set (<http ca="" certificate="" der="" format="" in="" issuing="" of="" the="" uri="">)</http>	
By signing this docabove.	cument, you are here	eby authorizing CableI	Labs to set your Server Certificates to the extensions as	noted
Approved by Custon	mer		Date	_

EXHIBIT S3 -**DOCSIS 4.0 CMTS DEVICE – NAMING APPLICATION**

n		T C	- 4
ĸ	eauestor	Intorm	auon:

Company Name:	
Contact Name:	Phone:
Contact E-mail:	

Certificate Format (To Be Completed by Manufacturer):

Subject DN	c=		
	0=		
	ou= <manufacturing location=""></manufacturing>		
	cn= <device identifier=""></device>		
	dnsName(s)=		

Version		v3 (0x02)				
Serial number		Unique Positive In	teger assigne	ed by the CA		
Issuer DN		c=US				
		o=CableLabs				
		ou=Device CA05				
		cn=CableLabs Dev	vice Certifica	ation Authority		
Not Before		<issuing date=""></issuing>				
Not After		<issuing date=""> + :</issuing>	5 years			
Public Key Algorithm		RSA (1 2 840 113	549 1 1)			
Signature Algorithm		Sha256WithRSAE	Encryption (1	2 840 113549 1 1 11)		
Key size		RSA: 2048-bits				
Parameters		NULL				
Standard Extensions	OID	Required	Critical	Value		
keyUsage	{id-ce 15}	Yes	TRUE			
digitalSignature				Set (1)		
keyEncipherment				Set (1)		
extendedKeyUsage	{id-ce 37}	Yes	FALSE			
svcCMTS				Set (<1.3.6.1.4.1.4491.2021.2.1.1>)		
clientAuth				Set (id-kp-clientAuth)		
serverAuth				Set (id-kp-serverAuth)		
authorityKeyIdentifier	{id-ce 35}	Yes	FALSE			
keyIdentifier				Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" number="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">)</sha-1>		
certificatePolicies	{id-ce 32}	Yes	FALSE			
certPolicyId				Set (<1.3.6.1.4.1.4491.2021.1.5>)		
policyQualifiers				Not Set		
crlDistributionPoints	{id-ce 31}	No	FALSE			
distributionPoint				Set (<http crl="" der="" for="" format="" in="" relevant="" uri="">)</http>		
authorityInfoAccess	{id-pe 1}	No	FALSE			

ocsp	{id-ad 1}			Set (<http authoritative="" ocsp="" of="" responder="" the="" uri="">)</http>
calssuers	{id-ad 2}			Set (<http ca="" certificate="" der="" format="" in="" issuing="" of="" the="" uri="">)</http>
subjectAltName	{id-ce 17}	No	FALSE	
dNSName				Set (<fqdn>), or Not Set</fqdn>

[*] The expiration shall not exceed the issuing CA's one

By signing this document you are hereby authorizing CableLabs to set your Device Cert	ficates to the extensions as
noted above.	

Approved by Customer	Date

EXHIBIT S4 -DOCSIS 4.0 CMTS TRIAL CERTIFICATE – NAMING APPLICATION

Requestor Information:

Company Name:	
Contact Name:	Phone:
Contact E-mail:	

Certificate Format (To Be Completed by Manufacturer):

Subject DN	c=		
	0=		
	ou= <manufacturi< td=""><td colspan="2">ou=<manufacturing location=""></manufacturing></td></manufacturi<>	ou= <manufacturing location=""></manufacturing>	
	cn= <device ident<="" td=""><td colspan="2">cn=<device identifier=""></device></td></device>	cn= <device identifier=""></device>	
	dnsName(s)=		

Other Certificate Conte	nts (For C	ableLabs and CA	use only):			
Version		v3 (0x02)				
Serial number		Unique Positive In	Unique Positive Integer assigned by the CA			
Issuer DN		c=US o=CableLabs ou=Device CA05 (Sectigo) cn=CableLabs Device Certification Authority				
Not Before		<issuing date=""></issuing>				
Not After		<issuing date=""> + 9</issuing>	90 days			
Public Key Algorithm		RSA (1 2 840 113:	549 1 1)			
Signature Algorithm		Sha256WithRSAE	Encryption (1	2 840 113549 1 1 11)		
Key size		RSA: 2048-bits				
Parameters		NULL				
Standard Extensions	OID	Required	Critical	Value		
keyUsage	{id-ce 15}	Yes	TRUE			
digitalSignature				Set (1)		
keyEncipherment				Set (1)		
extendedKeyUsage	{id-ce 37}	Yes	FALSE			
svcCMTS				Set (<1.3.6.1.4.1.4491.2021.2.1.1>)		
clientAuth				Set (id-kp-clientAuth)		
serverAuth				Set (id-kp-serverAuth)		
authorityKeyIdentifier	{id-ce 35}	Yes	FALSE			
keyIdentifier				Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" number="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">)</sha-1>		
certificatePolicies	{id-ce 32}	Yes	FALSE			
certPolicyId				Set (<1.3.6.1.4.1.4491.2021.1.5>)		
policyQualifiers				Not Set		
crlDistributionPoints	{id-ce 31}	No	FALSE			
distributionPoint				Set (<http crl="" der="" for="" format="" in="" relevant="" uri="">)</http>		

authorityInfoAccess	{id-pe 1}	No	FALSE	
ocsp	{id-ad 1}			Set (<http authoritative="" ocsp="" of="" responder="" the="" uri="">)</http>
calssuers	{id-ad 2}			Set (<http ca="" certificate="" der="" format="" in="" issuing="" of="" the="" uri="">)</http>
subjectAltName	{id-ce 17}	No	FALSE	
dNSName				Set (<fqdn>), or Not Set</fqdn>

[*] The expiration date shall r	not exceed the issuing CA's expiration date
By signing this document you are hereby authorizing Conoted above.	ableLabs to set your Device Certificates to the extensions as
Approved by Customer	Date