CableLabs®

DIGITAL CERTIFICATE AUTHORIZATION AGREEMENT

For Devices Built in Compliance with the DOCSIS® 3.0, 3.1, 4.0, PacketCable, DPoE & Remote PHY Specifications

this Digital Certificate Authorization Agreement ("Leffective Date"), by and between Cable To Delaware non-stock membership corporation with offices at 858 9750, and the party identified below ("Manufacturer").	
Manufacturer Organization Name (Full Legal Name of Entity executing this	s Agreement):
Main Corporate Headquarters Address: (city, state or province, postal code, country)	Phone:

CableLabs maintains and operates a secure Public Key Infrastructure (PKI) for issuing Digital Certificates for use in a cable network for different specifications including Data Over Cable Service Interface Specification (DOCSIS), PacketCable and DOCSIS Provisioning Over Ethernet (DPoE). Digital Certificates assist the cable operator in deterring theft of cable services, or unauthorized access to cable services, and help protect subscriber privacy. CableLabs Code Verification Certificates allow for secure download of Device code into Devices operating on a cable network. CableLabs hereby grants to Manufacturer the right to obtain and use the Digital Certificates Code Verification Certificates to sign Manufacturer's code for download into its Devices in accordance with the terms and conditions of this Agreement.

CableLabs hereby grants to Manufacturer the right to obtain and use the appropriate Digital Certificates in its Devices in accordance with the terms and conditions of this Agreement. Please check one or more of the following options:

Legac	y PKI (DOCSIS 1st Gen PKI)	
	DOCSIS 3.0 CM Device Certs or earlier	Complete Exhibits A, D1
	DOCSIS 3.0 CM Device Certs (Extended CA)	Complete Exhibit A, D2
	DOCSIS 3.0 CVC	Complete Exhibit C1
	PacketCable CM Device Certs	Completed Exhibits A, D3
	DPoE (Legacy PKI) CM Device Certs	Complete Exhibits, A, D4
	DPoE (Legacy PKI) CVC	Complete Exhibit C2
New P	KI (DOCSIS 2 nd Gen PKI)	
	DOCSIS 3.1 CM Device Certs	Complete Exhibits A, D5
	DOCSIS 3.1 or Remote PHY CVC	Complete Exhibits A, C3
	Remote PHY Device Certs	Complete Exhibits A, D6
	DOCSIS 4.0 CM Device Certs	Complete Exhibits A, D7
	DOCSIS 4.0 CVC*	Complete Exhibits A, C4
	DPoE 2.0 (New PKI) CM Device Certs	Complete Exhibits A, D8
	DPoE 2.0 (New PKI) CVC	Complete Exhibits C5
Server	· Certificates (DOCSIS 2 nd Gen PKI)	
	Remote PHY Server/AAA Server Certs	Complete Exhibits A, S1
	DOCSIS 4.0 CMTS NRI Cert	Complete Exhibit A, S2
	DOCSIS 4.0 CMTS Full Cert	Complete Exhibit A, S3
	Remote PHY CCAP Core NRI Cert	Complete Exhibit A, S4
	Remote PHY CCAP Core Full	Complete Exhibit A, S5

^[*] DOCSIS 3.1 CVCs can be used to sign DOCSIS 4.0 firmware.

MANUFACTURER HAS READ AND AGREES TO BE BOUND BY THE TERMS AND CONDITIONS OF THIS AGREEMENT, <u>INCLUDING THOSE TERMS CONTAINED ON THE FOLLOWING PAGES HEREOF.</u>

In consideration of the mutual promises and covenants contained herein, and other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, the parties have entered into this Agreement as of the Effective Date.

CABLE TELEVISION LABORATORIES, INC.	MANUFACTURER NAME:
Signature:	Signature:
Name:	Name:
Title:	Title:
Date:	Date:

Agreement

1.0 <u>Definitions</u>

- 1.1. "Certificate Manager" means a service manager identified by CableLabs that manages certain aspects of the CableLabs PKI.
- 1.2. "Compliant" means that the Device is Certified or Qualified (as defined in the CableLabs' Certification Wave Guidelines) by the DOCSIS Certification Board; or the device, in CableLabs' ultimate determination, is constructed to the appropriate DOCSIS specification.
- 1.3. "CVC" means a code verification certificate that is signed by the DOCSIS Root CA for DOCSIS 3.0 and earlier Devices, signed by the CableLabs CVC CA for DOCSIS 3.1 Devices or signed by the Remote PHY CA, as is appropriate. A CVC is a type of Digital Certificate.
- 1.4. "Device" means a Manufacturer's Compliant product.
- 1.5. "Device Certificate" means a Digital Certificate installed in a Device to authenticate the Device to the cable network.
- 1.6. "Digital Certificate" means an electronic identification key that allows for the authentication of Devices on the cable network or, in the case of a CVC, ensures secure software downloads from a cable operator to a cable subscriber.
- 1.7. "CA" means a Certification Authority, which is hosted by a third party and is signed by the Root CA.
- 1.8. "Root CA" means the highest CA in the DOCSIS PKI and is the trust point for all certificates that are issued by the DOCSIS PKI.
- 1.9. "Public Key Infrastructure" (PKI) means the architecture, organization, techniques, practices, and procedures that collectively support the implementation and operation of a digital certificate-based public key cryptographic system.
- 1.10. "Wrongful Use" means Manufacturer has knowingly or with gross negligence embedded a Digital Certificate in any other product or application that is not Compliant.

2.0 <u>Digital Certificate Authorization</u>

2.1. Upon receipt of a complete and executed Agreement, payment of appropriate fees (see section 5.0), the Manufacturer's information (see Exhibit A), the Naming Documents (see Exhibit D1-D8, C1-C5, & S1-S4), a Certificate Signing Request (CSR) file in PKCS#10 format (for Exhibit C1-C5, S1-S5), and verification of Manufacturer's identity for security purposes, CableLabs will authorize Manufacturer to receive Digital Certificates.

3.0 <u>Use of Digital Certificates and Request/Receipt of Certificates</u>

- 3.1. **Embedding of Digital Certificates.** Manufacturer shall not embed the Digital Certificates in any Device that is not Compliant or that is associated with a private key that Manufacturer knows or should have known was stolen, intercepted or otherwise compromised in any way.
- 3.2. Security of Digital Certificate Private Keys. Manufacturer shall safeguard the Digital Certificates and associated private keys to ensure that the private keys are not lost, stolen, embedded in a product other than a Device, or otherwise used in a manner that may compromise, or actually does compromise, the CableLabs PKI, as CableLabs may determine in its sole discretion. Manufacturer shall immediately notify CableLabs at pkiops@cablelabs.com if Manufacturer's digital certificates, including the CVC, are thought to be or are actually, lost, stolen or otherwise compromised.
- 3.3. Manufacturer is solely liable for all code signed with the Manufacturer's CVC. Manufacturer is responsible to ensure that the code signed with the Manufacturer's CVC works appropriately, does not cause harm to those who rely upon the code, that the code operations are lawful, and that the code does not infringe intellectual property rights. Manufacturer shall ensure that its CVC shall only be used

to sign its own Device code.

- 3.4. Automated Request/Receipt of Digital Certificates. Within thirty (30) days after receipt of the Annual Maintenance Fee, CableLabs shall cause the Certificate Manager to activate a Manufacturer account for securely obtaining Digital Certificates in an automated fashion.
- 3.5. **No Other Rights.** CableLabs retains all right, title, and interest in and to CableLabs' Root CAs and CableLabs' Intermediate CAs and any associated trade secrets or other proprietary information associated therewith that is provided by CableLabs to Manufacturer herein. CableLabs grants no rights in any trademark, trade name, service mark, business name or goodwill in the trademarks "CableLabs" or "DOCSIS".

4.0 Term and Termination

- 4.1. **Term**. The term of this Agreement shall begin on the Effective Date and shall continue until terminated earlier under the provisions of this Section.
- 4.2. **Termination by Manufacturer.** Manufacturer may terminate this Agreement, with or without cause, by giving CableLabs sixty days written notice of such termination.
- 4.3. **Termination by CableLabs.** CableLabs may terminate this Agreement for material breach of this Agreement by Manufacturer, where such breach is not cured within sixty days of notice to Manufacturer; or, where such breach is incapable of cure at the time of the material breach. Examples of breach include, but are not limited to: Manufacturer's Device Certificate private keys have been lost, stolen, intercepted or otherwise compromised in any way, a court or governmental agency orders CableLabs to revoke Manufacturer authorization, or a series of non-material breaches of this Agreement by Manufacturer.
- 4.4. **Termination for Wrongful Use.** If this Agreement is terminated due to Wrongful Use, in addition to revoking CableLabs' authorization for Manufacturer to receive Digital Certificates, CableLabs shall receive all revenue Manufacturer receives from Wrongful Use. CableLabs' receipt of revenue from Wrongful Use is in addition to any damages CableLabs is entitled to receive by law.
- 4.5. Effect of Agreement Termination or Certificate Revocation. If this Agreement is terminated, or Digital Certificates are revoked, Manufacturer shall discontinue using such Digital Certificate(s) and cease embedding or otherwise using such Digital Certificate(s) in any or all affected Device(s). Manufacturer shall keep secret or destroy any unused or revoked Digital Certificates and any associated private keys, and take such other action as is reasonably directed by CableLabs. Notwithstanding any termination of this Agreement, un-revoked Digital Certificate(s) used in Device(s) that are no longer under the control of Manufacturer shall be valid until the expiration of their validity period as stated in the DOCSIS or Remote PHY specifications.

5.0 Fees

- 5.1. **Fees**. Manufacturer shall pay to CableLabs in advance. (Please contact CableLabs at pkiops@CableLabs.com for fee information). CableLabs may, upon thirty (30) days' prior notice, modify the Fees.
- 5.2. **Payment Terms**. All fees are due upon receipt of invoice(s). Orders will not be fulfilled until payment is received by CableLabs. Payer is responsible for any wire transfer handling fees. Interest charges may apply to past-due invoices. Invoiced amounts are not deductible as a charitable contribution under IRC section 170 because CableLabs is a 501(c)(6) organization. However, they may be deductible as an "ordinary and necessary" business expense
- 5.3. **Applicable Taxes**. CableLabs is exempt from income tax in the United States under Section 501(c)(6) of the Internal Revenue Code. The Fees paid by Manufacturer hereunder are exclusive of, and Manufacturer shall pay, all sales, use, value added, excise, income tax, withholding tax, and any and all other taxes (other than income taxes) or other costs or fees that may be levied upon either party by taxing authorities other than the United States in connection with this Agreement (except for taxes based on CableLabs' employees) and shall pay all income taxes that may be levied upon Manufacturer.

6.0 Warranty, Indemnity, Limitation of Liability

- 6.1. **Indemnification**. Manufacturer shall indemnify and hold harmless CableLabs, its members, directors, employees, and agents (including the entity that holds the Root Certificates and the CA Certificates that issue the CVCs and Device Certificates), for any claim arising from or related to Manufacturer's use and implementation of the Digital Certificates, including, without limitation, Wrongful Use. Such indemnification obligations shall be subject to: (i) CableLabs notifying Manufacturer, in writing of any such claim and (ii) Manufacturer having the sole control of the defense and all negotiations for any settlement or compromise of such claim, provided, however, that CableLabs may participate in such defense using counsel of its own choice and at its sole expense.
- 6.2. **Disclaimer of Warranties. TO THE MAXIMUM EXTENT PERMITTED BY LAW:** THE DIGITAL CERTIFICATES, USE OF WHICH IS AUTHORIZED HEREUNDER, ARE PROVIDED "AS IS" AND CABLELABS DISCLAIMS ALL REPRESENTATIONS AND WARRANTIES, FOR THE DIGITAL CERTIFICATES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT, ACCURACY, SECURITY, OR NON-INFRINGEMENT.
- 6.3. Limitation of Liability. TO THE MAXIMUM EXTENT PERMITTED BY LAW: WITH THE EXCEPTION OF MANUFACTURER'S "WRONGFUL USE", IN NO EVENT WILL EITHER PARTY BE LIABLE UNDER THIS AGREEMENT FOR ANY SPECIAL, INDIRECT, CONSEQUENTIAL, OR PUNITIVE DAMAGES INCLUDING, WITHOUT LIMITATION, DAMAGES WHICH REFLECT LOST BUSINESS, PROFITS OR REVENUE OBTAINED OR LOST, OR THE COSTS OF RECONSTRUCTING DATA OR REBUILDING DEVICES, WHETHER DAMAGES OF THIS NATURE WERE FORESEEABLE OR NOT, AND EVEN IF THAT PARTY HAD BEEN ADVISED THAT DAMAGES OF THIS NATURE WERE POSSIBLE. IN NO EVENT SHALL EITHER PARTY BE LIABLE UNDER THIS AGREEMENT TO THE OTHER PARTY FOR ANY AMOUNT EXCEEDING THE FEES ACTUALLY RECEIVED BY CABLELABS FROM MANUFACTURER.
- 6.4. Manufacturer Liability for Manufacturer Supplied Information. Manufacturer is solely liable for the resulting Digital Certificates created from the information Manufacturer provides in the exhibits attached hereto and incorporated by this reference. Failure to completely and correctly complete the attached exhibits will result in incorrect Digital Certificates.

7.0 General

- 7.1. **Notices**. Any notices, required or permitted to be made or given to either party pursuant to this Agreement shall be in writing and shall be delivered to the address set forth on the first page, or to such other address as the receiving party may have designated by written notice given to the other party. Legal notices shall be sent to the person listed as the Legal Contact. Technical notices shall be sent to the name listed as the Technical Contact.
- 7.2. **Export**. Manufacturer shall not export or re-export (directly or, knowingly indirectly) any Digital Certificates, documentation, or other technical data without complying with the U.S. Export Administration Act and the associated regulations.
- 7.3. Audit. CableLabs or its duly authorized representatives shall be permitted, upon reasonable notice, and subject to appropriate non-disclosure terms, to inspect all records pertaining to the Digital Certificates, including, without limitation, records related or pertaining to the security, usage, and distribution of the Digital Certificates. The inspections may be made notwithstanding termination of this Agreement while any outstanding claim remains unsettled in the view of either party. In the event CableLabs needs to conduct an audit due to a discrepancy discovered in a prior audit, CableLabs may charge Manufacturer for reasonable airfare, meals and lodging for such subsequent audit.
- 7.4. **Irreparable Harm**. Manufacturer acknowledges and agrees that due to the unique and sensitive nature of the use of the Digital Certificates authorized hereunder, including any private keys therein, there can

- be no adequate remedy at law for breach of Manufacturer's obligations hereunder, that such breach or unauthorized use or release of the Digital Certificates will cause material damage and result in irreparable harm. Therefore, upon any such breach or any threat thereof, CableLabs shall be entitled to appropriate equitable relief in addition to whatever remedies it might have at law.
- 7.5. **Amendments**. No amendment or modification hereof shall be valid or binding upon the parties unless made in writing and signed by both parties hereto.
- 7.6. **Waiver**. Any waiver by either party hereto of any breach of this Agreement shall not constitute a waiver of any subsequent or other breach.
 - 7.7. **Survival**. Sections 1, 3.1, 3.2, 3.3,4.4, 4.5, 6, 7.3, 7.7, 7.9, 7.10, and 7.11 shall survive any termination of the Agreement.
- 7.8. **Assignment**. Manufacturer may not assign this Agreement without the express, prior written approval of CableLabs.
- 7.9. **Entire Agreement.** This Agreement embodies the entire understanding of the parties with respect to the subject matter hereof and merges all prior discussions between them, and neither of the parties shall be bound by any conditions, definitions, warranties, understandings or representations with respect to the subject matter hereof other than as expressly provided herein.
- 7.10. **Severability.** If any provision of this Agreement shall be held to be invalid, illegal or unenforceable, the validity, legality and enforceability of the remaining provisions shall not be in any way affected or impaired thereby.
- 7.11. **Governing Law; Forum.** This Agreement shall be construed in accordance with the law of the state of Colorado, without regard to its conflict of laws rules. The parties here by agree to exclusive jurisdiction and venue in the federal/**state courts located in the city and county of Denver, Colorado.**

EXHIBIT A -**COMPANY INFORMATION**

PLEASE COMPLETE ALL FIELDS ACCURATELY WITH THE APPROPRIATE INFORMATION

Notes:

- 1) Fields marked with (*) are compulsory for the specified section.
- 2) When entering phone numbers, ensure that you include country and area codes.
- 3) Organization name is a compulsory field and <u>MUST</u> be the legally registered business name.
- 4) Use of special characters such as () & * \% \$ # (a)! + = \^ is not permitted in the **Organization name**.

CORPORATE INFORMATION:

Manufacturer Organization Name*: (Full Legal Name or Registered Trade Name)	
Legal Headquarters Address*: (city, state or province, postal code, country)	
D-U-N-S Number:	
	e Authentication process. If you do not know your company's D. Note: The Legal Company Name and Corporate Address listed I-S Database.
MANUFACTURER'S CORPORATE CONTACT:	
This person must work for the organization requesting this	s service and is responsible for the device manufacturing system. Thing administrators who will request Certificates from CableLabs. The ents occurring with this service.
First Name*:	Last Name*:
Title*:	E-mail*:
Phone*:	
PRIMARY ADMINISTRATOR CONTACT:	
This is the person who is authorized to request and receive cer	tificates.
Same as the Corporate Contact? YES	NO
First Name*:	Last Name*:
Title*:	E-mail*:
Phone*:	
Address*:	City and State*:
Zip/Postal Code*:	Country*:

SECOND ADMINISTRATOR CONTACT:

This person is authorized to back-up the primary administrator contact. This person is also authorized to request and receive certificates.

certificates.	
First Name*:	Last Name*:
Title*:	E-mail*:
Phone*:	
Address*:	City and State*:
Zip/Postal Code*:	Country*:
MANUFACTURER'S TECHNICAL CONTINUES IN A technical contact, typically in development with CableLabs.	ΓΑCT ment engineering, authorized to discuss technical issues related to the D
First Name*:	Last Name*:
Title*:	E-mail*:
Phone*:	
MANUFACTURER'S LEGAL CONTACT This person will receive a copy of any contractual re	
First Name*:	Last Name*:
First Name*: Title*:	Last Name*: E-mail*:
Title*:	
Title*: Phone*:	E-mail*:
Title*: Phone*: Address*: Zip/Postal Code*: MANUFACTURER'S BILLING CONTACTOR of the person responsible for payment and notice.	E-mail*: City and State*: Country*:
Title*: Phone*: Address*: Zip/Postal Code*: MANUFACTURER'S BILLING CONTACTORS is the person responsible for payment and notification.	E-mail*: City and State*: Country*: T: Ifying CableLabs of any billing changes, for example an accounts payable
Title*: Phone*: Address*: Zip/Postal Code*: MANUFACTURER'S BILLING CONTACT In the person responsible for payment and notic epresentative. Please list any special instructions for the person responsible for payment and notic epresentative.	E-mail*: City and State*: Country*: T: Ifying CableLabs of any billing changes, for example an accounts payable for billing (e.g. require purchase order, submit invoice to portal)
Title*: Phone*: Address*: Zip/Postal Code*: MANUFACTURER'S BILLING CONTACT Phis is the person responsible for payment and notice presentative. Please list any special instructions for First Name*:	E-mail*: City and State*: Country*: T: Ifying CableLabs of any billing changes, for example an accounts payable for billing (e.g. require purchase order, submit invoice to portal) Last Name*:
Title*: Phone*: Address*: Zip/Postal Code*: MANUFACTURER'S BILLING CONTACTOR In the person responsible for payment and not representative. Please list any special instructions for the person responsible for payment and not representative. Please list any special instructions for the person responsible for payment and not representative. Please list any special instructions for the person responsible for payment and not representative. Please list any special instructions for the person responsible for payment and not representative. Please list any special instructions for the person responsible for payment and not representative. Please list any special instructions for the person responsible for payment and not representative. Please list any special instructions for the person responsible for payment and not representative. Please list any special instructions for the person responsible for payment and not representative. Please list any special instructions for the person responsible for payment and not representative. Please list any special instructions for the person responsible for payment and not representative. Please list any special instructions for the person responsible for payment and not represent the person responsible for payment and person responsible for payment a	E-mail*: City and State*: Country*: T: Ifying CableLabs of any billing changes, for example an accounts payable for billing (e.g. require purchase order, submit invoice to portal) Last Name*:

EXHIBIT D1 -

DOCSIS® CABLE MODEM DEVICE CERTIFICATE - NAMING APPLICATION (for use with DOCSIS 3.0 and earlier devices – Sectigo CA)

Please complete the <u>Requestor Information</u> section and the Subject DN of the <u>Certificate Format</u>.

Requestor Information	:						
Organization Name:							
Contact Name:				Phone:			
Contact E-mail:							
Certificate Format (To	be comple	eted by Ma	anufacture	er)			
Subject DN		c=					
		o=					
		ou=					
		cn = < (MA)	AC Address	(to be entered via the account requesting portal)>			
Other Certificate Cont	ents (For C	CableLabs	s and CA u	se only):			
Version		v3		<i>V</i> /			
Serial number		Unique Po	sitive Integer	r assigned by the CA			
Issuer DN		c=US					
		o=CableLabs					
		ou=DOCSIS					
		ou=D CA00004					
		cn=CableLabs Cable Modem Certificate Authority					
notBefore		yymmdd000000Z (Key Ceremony Date)					
notAfter		yymmdd235959Z (20 years*)					
Public Key Algorithm		RSA (1 2 840 113549 1 1)					
Signature Algorithm		sha1withRSAEncryption (1 2 840 113549 1 1 5)					
Keysize		1024-bits					
Parameters		NULL		I			
	OID	-	Criticality	Value			
, ,	{id-ce 15}	YES	FALSE				
* 1	{id-ce 35}						
	YES	FALSE	*				
keyIdentifier				<same as="" ca="" certificate="" in="" subjectkeyidentifier=""></same>			
	it, you here	by authoriz	ze CableLal	bs to set your Device Certificates extensions as noted above Date:			
digitalSignature keyEncipherment authorityKeyIdentifier keyIdentifier	·						

EXHIBIT D2 -

EXTENDED DOCSIS® CABLE MODEM DEVICE CERTIFICATE - NAMING APPLICATION (for use with DOCSIS 3.0 and earlier devices – Sectigo Extended CA)

Please complete the <u>Requestor Information</u> section and the Subject DN of the <u>Certificate Format</u>.

Organization Name: Contact Name:							
				lni.			
				Phone:			
Contact E-mail:							
Certificate Format (To be	comple	eted by Ma	anufacture	er)			
Base Certificate							
Subject DN		c=					
		0=					
		ou=					
		cn = < (MA	AC Address	s (to be entered via the account requesting portal)>			
Other Certificate Contents	s (For C	CableLabs	and CA u	ise only):			
Version		v3					
Serial number		Unique Pos	sitive Integer	r assigned by the CA			
Issuer DN		c=US					
		o=CableLabs					
		ou=DOCSIS					
		ou=D CA00004 V2 EXT					
		cn=CableLabs Cable Modem Certificate Authority					
notBefore		yymmdd000000Z (Key Ceremony Date)					
notAfter		yymmdd235959Z (20 years*)					
Public Key Algorithm		RSA (1 2 840 113549 1 1)					
Signature Algorithm		sha1withRSAEncryption (1 2 840 113549 1 1 5) 1024-bits					
Keysize							
Parameters OFF	`	NULL	C '4' 1'4	¥7 1			
Standard Extensions OIL		-	Criticality	Value			
	ce 15}	YES	FALSE	n/a			
digitalSignature				Set			
keyEncipherment	25)	NAMES	EALCE	Set Set			
authorityKeyIdentifier {id-	ce 35}	YES	FALSE	Calculated per Method 1			
1 11	keyIdentifier						

EXHIBIT D3 PACKETCABLE DEVICE CERTIFICATE NAMING APPLICATION (Sectigo CA)

Requestor Information	ı :					
Organization Name:						
Contact Name:				Phone:		
Contact E-mail:						
Certificate Format (To	Be Comple	ted by M	anufacturer):		
Subject DN	•	c=				
		o=				
		st=				
		1=				
		ou=Pack	tetCable			
		ou=				
		ou=				
		cn=<(M	AC Address	(to be entered via the account requesting portal)>		
Other Certificate Cont	ents (For C	ableLabs	and CA use	e only):		
Version	(v3		,		
Serial number		Unique Positive Integer assigned by the CA				
Issuer DN		c = US				
		o = Cable	Labs, Inc.			
		ou=PacketCable				
		ou= PC CA00001 - G3				
		cn = CableLabs, Inc. PacketCable CA				
notBefore				Ceremony Date)		
notAfter		yymmdd235959Z (20 years)				
Public Key Algorithm		RSA (1 2 840 113549 1 1)				
Signature Algorithm		Sha1 WithRSAEncryption (1 2 840 113549 1 1 5)				
Keysize	1024-bits					
Parameters	NULL					
Standard Extensions	OID	Include	Criticality	Value		
keyUsage	{id-ce 15}	YES	TRUE	n/a		
digitalSignature				Set		
keyEncipherment				Set		
authorityKeyIdentifier	{id-ce 35}	YES	FALSE	Calculated per Method 1		
keyIdentifier	entifier <same as="" ca="" certificate="" in="" subjectkeyidentifier=""></same>					

keyEncipherment				Set		
authorityKeyIdentifier	{id-ce 35}	YES	FALSE	Calculated per Method 1		
keyIdentifier				<same as="" ca="" certificate="" in="" subjectkeyidentifier=""></same>		
	t, you hereby	y authoriz	e CableLabs	to set your Device Certificates extensions as noted above.		
Signature:				Date:		

EXHIBIT D4 - DPoE ONU DEVICE CERTIFICATE NAMING APPLICATION

(for use with DPoE ONU devices – DigiCert CA)

Requestor Information	n:					
Organization Name:						
Contact Name: Phone:						
Contact E-mail:						
Certificate Format (To	o be comp	oleted by Ma	nufacturer	·):		
Subject DN		c=				
·		o=				
		ou=				
		cn= <(M.	AC Address	(to be entered via the account requesting portal)>		
				1 01 /		
Other Certificate Con	tents (For	·CableLabs	and CA us	e only):		
Issuer DN		c=US		V /		
		o=CableLabs				
		ou=CA00008				
				tification Authority		
Not Before		<issuing dat<="" td=""><td></td><td></td></issuing>				
Not After		<issuing date<="" td=""><td></td><td></td></issuing>				
Public Key Algorithm		RSA (1 2 840 113549 1 1)				
Signature Algorithm		Sha256WithRSAEncryption (1 2 840 113549 1 1 11)				
Keysize		RSA: 2048-bits				
Parameters		NULL				
	OID	Required	Critical	Value		
keyUsage	{id-ce 15}	YES	TRUE			
digitalSignature				Set (1)		
keyEncipherment				Set (1)		
	{id-ce 37}	YES	FALSE			
svcONU				Set (<1.3.6.1.4.1.4491.2021.2.1.4>)		
clientAuth				Set (id-kp-clientAuth)		
serverAuth				Set (id-kp-serverAuth)		
authorityKeyIdentifier	{id-ce 35}	YES	FALSE			
keyIdentifier				Set (<sha-1 (excluding="" and="" bit="" hash="" length,="" number="" of="" of<="" string="" subjectpublickey="" tag,="" td="" the="" value=""></sha-1>		
				unused bits)>)		
	{id-ce 32}	YES	FALSE			
certPolicyId				Set (<1.3.6.1.4.1.4491.2021.1.5>)		
policyQualifiers				Not Set		
authorityInfoAccess	{id-pe 1}	YES	FALSE			
l l	{id-ad 1}			Set (<http authoritative="" ocsp="" of="" responder="" the="" uri="">)</http>		
ocsp	/ · · · · · ·	ı	1	Set (<http ca="" certificate="" der="" format="" in="" issuing="" of="" the="" uri=""></http>		
caIssuers	{id-ad 2}	TIEG	E 4 - ~-			
•	{id-ad 2} {id-ce 31}	YES	FALSE	Set (<http crl="" der="" for="" format="" in="" relevant="" uri="">)</http>		

Signature: _____ Date: _____

EXHIBIT D5 -

DOCSIS® CABLE MODEM DEVICE CERTIFICATE - NAMING APPLICATION (for use with DOCSIS 3.1 devices – Sectigo CA)

Organization Name:							
Contact Name:				Phone:			
Contact E-mail:							
Certificate Format (To	be comple	ted by N	Ianufactur	er):			
Subject DN	c=						
	o=						
		ou=					
		cn= <()	MAC Addre	ess (to be entered via the account requesting portal)>			
Other Certificate Con	tonts (For C	ablaL a	hs and CA	use only).			
Version	tents (FUF C	v3	os anu CA	use omy).			
Serial number			Positive Inte	eger assigned by the CA			
Issuer DN	c=US						
		o=CableLabs					
		ou = Device CA04					
		cn=CableLabs Device Certificate Authority					
notBefore		yymmdd000000Z (Key Ceremony Date)					
notAfter		yymmdd235959Z (20 years**)					
Public Key Algorithm		RSA (1 2 840 113549 1 1)					
Signature Algorithm		Sha256withRSAEncryption (1 2 840 113549 1 1 11)					
Keysize		2048-bi	ts				
Parameters		NULL	NULL				
Standard Extensions	OID	Includ	Criticality	Value			
keyUsage	{id-ce 15}	YES	TRUE				
ligitalSignature				Set (1)			
keyEncipherment				Set (1)			
authorityKeyIdentifier	{id-ce 35}	YES	FALSE				
keyIdentifier				Calculated per Method 1			

Signature:				Date:	
By signing this document,	you hereby authorize	CableLabs to se	t your Device	Certificates extensions	as noted abov

EXHIBIT D6 REMOTE PHY (R-PHY) DEVICE CERTIFICATE - NAMING APPLICATION (for use with Remote PHY devices – Sectigo CA)

Requestor Information:

Organization Name:							
Contact Name:			Phone:				
Contact E-mail:							
Certificate Format (T	o be comple	ted by Mar	ufacturer):				
Subject DN	c=						
		o=					
		ou=					
		cn= <(MA	.C Address (to be entered via the account requesting portal)>			
Other Certificate Con	tents (For C	CableLabs a	and CA use	only):			
Version		v3		v /			
Serial number		Unique Pos	itive Integer a	assigned by the CA			
Issuer DN		c=US					
		o=CableLabs					
		ou = Device CA04					
		cn=CableLabs Device Certificate Authority					
notBefore		yymmdd000000Z (Key Ceremony Date)					
notAfter		yymmdd235959Z (20 years**)					
Public Key Algorithm		RSA (1 2 840 113549 1 1)					
Signature Algorithm		Sha256withRSAEncryption (1 2 840 113549 1 1 11)					
Keysize		2048-bits					
Parameters		NULL					
Standard Extensions	OID	Required	Criticality	Value			
keyUsage	{id-ce 15}	YES	TRUE				
digitalSignature				Set (1)			
keyEncipherment				Set (1)			
authorityKeyIdentifier	{id-ce 35}	YES	FALSE				
keyIdentifier				Calculated per Method 1			

Signature: _____ Date: _____

DO	CSIS Digital	Certificate A	Authorization	Δ greement $=$	– Fyhihit –	RPHY Device	e Rev	2024-13

EXHIBIT D7 DOCSIS® CABLE MODEM DEVICE CERTIFICATE - NAMING APPLICATION (for DOCSIS 4.0 devices – Sectigo CA)

Requestor Information	n:	(lor DOCs	515 4.0 uevic	es – Secugo CA)			
Company Name:							
Contact Name:			Phone:				
Contact E-mail:				•			
Certificate Format (To	o Be Compl	eted by Manuf	facturer):				
Subject DN		c=					
		0=					
		ou= DOCSIS 4	4.0 CM Certifi	cate			
		cn = < (MAC A)	ddress (to be e	entered via the account requesting portal)>			
Other Certificate Con	tents (For C	CableLabs and	CA use only)):			
Version	•	v3 (0x02)					
Serial number		Unique Positive	e Integer assigne	ed by the CA			
Issuer DN		c=US					
		o=CableLabs					
		ou=Device CA	05				
		cn=CableLabs	Device Certifica	ation Authority			
Not Before		<issuing date=""></issuing>					
Not After		<issuing date=""> + 20 years</issuing>					
Public Key Algorithm		RSA (1 2 840 113549 1 1)					
Signature Algorithm		Sha256WithRSAEncryption (1 2 840 113549 1 1 11)					
Keysize		RSA: 2048-bits					
Parameters		NULL					
Standard Extensions	OID	Required	Critical	Value			
keyUsage	{id-ce 15}	YES	TRUE				
digitalSignature				Set (1)			
keyEncipherment				Set (1)			
extendedKeyUsage	{id-ce 37}	YES	FALSE				
svcCM				Set (<1.3.6.1.4.1.4491.2021.2.1.2>)			
clientAuth				Set (id-kp-clientAuth)			
serverAuth				Set (id-kp-serverAuth)			
authorityKeyIdentifier	{id-ce 35}	YES	FALSE				
keyIdentifier				Set (<sha-1 bit="" hash="" of="" string<="" td="" the="" value=""></sha-1>			
				subjectPublicKey (excluding the tag, length, and			
				number of unused bits)>)			
certificatePolicies	{id-ce 32}	YES	FALSE				
certPolicyId				Set (<1.3.6.1.4.1.4491.2021.1.5>)			
policyQualifiers				Not Set			
crlDistributionPoints	{id-ce 31}	YES	FALSE				
distributionPoint				Set (<http crl="" der="" for="" format="" in="" relevant="" uri="">)</http>			
authorityInfoAccess	{id-pe 1}	YES	FALSE				
ocsp	{id-ad 1}			Set (<http authoritative="" ocsp<="" of="" td="" the="" uri=""></http>			
				responder>)			
calssuers	{id-ad 2}			Set (<http ca="" certificate="" dfr<="" in="" issuing="" liri="" of="" td="" the=""></http>			

By signing this document, you hereby authorize CableLabs to set your Device Certificates extensions as noted above.

format>)

Signature:	Date:	

EXHIBIT D8 DPoE 2.0 ONU DEVICE CERTIFICATE NAMING APPLICATION (for use with DPoE ONU devices – Sectigo CA)

Company Name:						
Contact Name:				Phone:		
Contact E-mail:						
ertificate Format (T	o Be Comp	leted by Ma	nufacture	r):		
Subject DN		c=				
		o=				
		ou=				
		cn = < (MA)	C Address (to be entered via the account requesting portal)>		
ther Certificate Con	tents (For	CableLabs a	and CA use	e only):		
Version		v3 (0x02)				
Serial number	Unique Posi	itive Integer	assigned by the CA			
Issuer DN		c=US				
		o=CableLab				
		ou=Device				
				ertification Authority		
Not Before	<issuing da<="" td=""><td></td><td></td></issuing>					
Not After		te > + Up to 2				
Public Key Algorithm		10 113549 1	,			
Signature Algorithm	Sha256WithRSAEncryption (1 2 840 113549 1 1 11)					
Keysize		RSA: 2048-bits				
Parameters		NULL				
Standard Extensions	OID	Required	Critical	Value		
keyUsage	{id-ce 15}	YES	TRUE			
digitalSignature				Set (1)		
keyEncipherment				Set (1)		
extendedKeyUsage	{id-ce 37}	YES	FALSE			
svcONU				Set (<1.3.6.1.4.1.4491.2021.2.1.4>)		
clientAuth				Set (id-kp-clientAuth)		
serverAuth				Set (id-kp-serverAuth)		
authorityKeyIdentifier	{id-ce 35}	YES	FALSE			
keyIdentifier				Set (<sha-1 bit="" hash="" of="" string<="" td="" the="" value=""></sha-1>		
				subjectPublicKey (excluding the tag, length, and number o		
	(1 22)	MEG	EALCE	unused bits)>)		
certificatePolicies	{id-ce 32}	YES	FALSE	0.+(<1.2 (1.4.1.4401.2021.1.5>)		
certPolicyId				Set (<1.3.6.1.4.1.4491.2021.1.5>)		
policyQualifiers	(id 1)	VEC	EALCE	Not Set		
authorityInfoAccess	{id-pe 1}	YES	FALSE	Cat (CHTTD LIDI of the outh - it-time OCCD 1 >)		
ocsp	{id-ad 1}			Set (<http authoritative="" ocsp="" of="" responder="" the="" uri="">)</http>		
calssuers	{id-ad 2}			Set (<http ca="" certificate="" der<="" in="" issuing="" of="" td="" the="" uri=""></http>		
erlDistributionPoints	{id-ce 31}	YES	FALSE	format>)		
TIDISH TOURIOH CHIRS	{Iu-ce 31}	1 LS	FALSE	Set (<http crl="" der="" for="" format="" in="" relevant="" uri="">)</http>		
distributionPoint		1	1	I SELL NITT I FORTIOL RELEVABLE CRE III DER TOHNAL)		

EXHIBIT C1 DOCSIS® MANUFACTURER (SIGNER) CVC - NAMING APPLICATION (for use with DOCSIS 3.0 and earlier devices)

Requestor Information	n:									
Company Name:										
Contact Name:			Phone:							
Contact E-mail:										
Certificate Format (T	o be comp	leted by Manufacturer)								
Subject DN		c=								
		o=								
		ou=DOCSIS								
		cn=Code Verification Certificate								
Other Certificate Coi	ntents (For	CableLabs and CA use only):								
Version		2								
Serial Number		Integer								
Issuer DN		c=US								
		o=Data Over Cable Services Interface Specifications								
		ou=Cable Modems (DigiCert)								
		cn=DOCSIS Cable Modem Root Certificate Authority (DigiCert)								
notBefore		yymmdd000000Z (Key Ceremony Date)								
notAfter		yymmdd235959Z (10 years)								
Public Key Algorithm		RSA (1 2 840 113549 1 1)								
Signature Algorithm		sha1withRSAEncryption (1 2 840 113549 1 1 5)								
Keysize		2048-bits								
Parameters		NULL								
Standard Extensions	OID	Include	Criticality	Value						
extendedKeyUsage	{id-ce 37}	X	TRUE	n/a						
id-kp-codeSigning				1.3.6.1.5.5.7.3.3						
*The manufacturer's certificate.	company	name must match the compa	ny name in the manu	facturer's CM device						
By signing this docume	ent, you her	eby authorize CableLabs to set y	your Device Certificates	extensions as noted above.						
Signature:			Date:							
·				 						

EXHIBIT C2 - DPoE MANUFACTURER (SIGNER) CVC - NAMING APPLICATION

Requestor Information	1:						
Company Name:							
Contact Name:				Phone:			
Contact E-mail:							
Certificate Format (To	be comple	eted by Ma	nufacturer	•)			
Subject DN	(c=					
	(0=					
		ou=DPoE					
	(cn=Code Ve	erification (Certificate			
Other Certificate Cont	ents (For (CahleI ahs	and CA us	e only):			
Version	ciits (1 01 V	v3	and CII us	c only).			
Serial number		_	sitive Integ	er assigned by the CA			
Issuer DN		c=US		and an			
Issuel Div		o=CableLa	ıhs				
		I .	CA (DigiCe	rt)			
			Labs CVC (
notBefore		If needed, please provide the desired start date for the certificate's validity period					
		(format: YYMMDD000000Z) If no date is provided, the signing date and time					
		will be used (Key Ceremony Date)					
notAfter		yymmdd235959Z (up to 10 years)					
Public Key Algorithm		RSA (1 2 840 113549 1 1)					
Signature Algorithm		Sha256WithRSAEncryption (1 2 840 113549 1 1 11)					
Keysize		2048-bits					
Parameters		NULL					
Standard Extensions	OID	Required	Criticality	Value			
extKeyUsage	{id-ce 37}	YES	TRUE				
codeSigning				Set			
authorityKeyIdentifie	{id-ce 35}	YES	FALSE				
keyIdentifier				Calculated per Method 1			
certificate.				e company name in the manufacturer's CM device s to set your Device Certificates extensions as noted above.			
Signature:				Date:			

EXHIBIT C3 DOCSIS® MANUFACTURER (SIGNER) CVC NAMING APPLICATION (for DOCSIS 3.1 and Remote PHY devices)

Requestor Information	1:						
Company Name:							
Contact Name:				Phone:			
Contact E-mail:							
Certificate Format (To	be comple	eted by Ma	nufacturer	•)			
Subject DN	(2=					
	(0=					
	(ou=DOCSI	S				
	(en=Code V	erification C	Certificate			
Other Certificate Cont	ents (For C	CableLabs	and CA us	e only):			
Version		v3					
Serial number		Unique Po	sitive Intege	er assigned by the CA			
Issuer DN		c=US					
		o=CableLa	ıbs				
			CA01 (Cable				
				Certification Authority			
notBefore		If needed, please provide the desired start date for the certificate's validity period					
		(format: YYMMDD000000Z) If no date is provided, the signing date and time					
		will be used (Key Ceremony Date)					
notAfter		yymmdd235959Z (up to 10 years)					
Public Key Algorithm		RSA (1 2 840 113549 1 1)					
Signature Algorithm		Sha256WithRSAEncryption (1 2 840 113549 1 1 11)					
Keysize		2048-bits					
Parameters		NULL					
Standard Extensions	OID	Required	Criticality	Value			
extKeyUsage	{id-ce 37}	YES	TRUE				
codeSigning				Set			
authorityKeyIdentifie	{id-ce 35}	YES	FALSE				
keyIdentifier				Calculated per Method 1			
*The manufacturer's c	company n	ame must	match the	company name in the manufacturer's CM device			
By signing this documer	nt, you here	by authoriz	e CableLab	s to set your Device Certificates extensions as noted above.			
Signature:				Date:			

EXHIBIT C4 - DOCSIS® MANUFACTURER (SIGNER) CVC NAMING APPLICATION (for DOCSIS 4.0)

Company Name: Contact Name:								
C 4 4 E 1				Phone:				
Contact E-mail:								
Certificate Format (To	be comple	eted by Ma	nufacturer)				
Subject DN	(c=						
	(0=						
		ou=DOCSI	S					
		cn=Code Ve	erification C	Certificate				
Other Certificate Cont	ents (For C	CableLabs	and CA us	e only):				
Version		v3		W. /				
Serial number		Unique Po	sitive Intege	er assigned by the CA				
Issuer DN		c=US						
		o=CableLa	ıbs					
			CA01 (Cabl					
				Certification Authority				
notBefore				ide the desired start date for the certificate's validity period				
		(format: YYMMDD000000Z) If no date is provided, the signing date and time will be used (Key Ceremony Date)						
		will be use	u (Key Cere	eniony Date)				
notAfter			yymmdd235959Z (up to 10 years)					
Public Key Algorithm		,	10 113549 1	,				
Signaure Algorithm			thRSAEncr	yption (1 2 840 113549 1 1 11)				
Keysize		2048-bits						
Parameters		NULL						
Standard Extensions	OID		Criticality	Value				
extKeyUsage	{id-ce 37}	YES	TRUE					
codeSigning				Set				
	{id-ce 35}	YES	FALSE					
keyIdentifier				Calculated per Method 1				
	{id-ce 15}	NO	TRUE					
digitalSignature				Set (1)				
crlDistributionPoints	{id-ce 31}	NO	FALSE					
distributionPoint				Set (<http crl="" der="" for="" format="" in="" relevant="" uri="">)</http>				
certificatePolicies	{id-ce 32}	NO	FALSE					
certPolicyId				Set (<docsis certificate="" oid="" pki="" policy="">)</docsis>				
policyQualifiers				Not Set				
authorityInfoAccess	{id-pe 1}	NO	FALSE					
ocsp	{id-ad 1}			Set (<http authoritative="" ocsp="" of="" responder="" the="" uri="">)</http>				
calssuers	{id-ad 2}			Set (<http ca="" certificate="" der<="" in="" issuing="" of="" td="" the="" uri=""></http>				
By signing this documer	nt, you here	by authorize	e CableLab	s to set your Device Certificates extensions as noted above. Date:				

EXHIBIT S1 - REMOTE PHY SERVER/AAA CERTIFICATE NAMING APPLICATION

Requestor Information	:						
Company Name:							
Contact Name:				Phone:			
Contact E-mail:							
Certificate Format (To	be complete	ed by Manuf	acturer)				
Subject DN	c=	•	,				
	o=						
	cn=						
subjectAltName	dnsNam	e(s)=					
Other Certificate Conto	ents (For Ca		l CA use onl	y):			
Version		v3					
Serial number		•	tive Integer a	assigned by the CA			
Issuer DN		c=US					
		o=CableLab					
				.01 (CableLabs)			
		cn= CableLabs Service Provider Certification Authority					
notBefore		yymmdd000000Z (Key Ceremony Date)					
notAfter		1	5959Z (25 ye	ars)			
Public Key Algorithm		RSA (1 2 840 113549 1 1)					
Signature Algorithm		Sha256WithRSAEncryption (1 2 840 113549 1 1 11)					
Keysize		2048-bits					
Parameters		NULL					
Standard Extensions	OID	Required	Criticality	Value			
keyUsage	{id-ce 15}	YES	TRUE				
digitalSignature				Set			
keyEncipherment				Set			
authorityKeyIdentifier	{id-ce 35}	YES	FALSE				
keyIdentifier				Calculated per Method 1			
subjectAltName	{id-ce 17}	YES	FALSE				
dNSName							
extendedKeyUsage	{id-ce 37}	NO	FALSE				
serverAuth	{id-kp 1}			Set (id-kp-serverAuth), or Not Set			
clientAuth	{id-kp 2}			Set (id-kp-clientAuth), or Not Set			
		•	•	•			
By signing this documen	t, you hereby	authorize Ca	ableLabs to s	et your Device Certificates extensions as noted above.			
				•			
Signature:				Date			

EXHIBIT S2 DOCSIS 4.0 CMTS NO REVOCATION INFORMATION (NRI) – NAMING APPLICATION (Sectigo CA)

equestor Information	:						
Company Name:							
Contact Name:			Phone:				
Contact E-mail:				<u>'</u>			
ertificate Format (To	Be Compl	eted by Manufa	acturer):				
Subject DN		c=	•				
		o=					
	ou= <manufactu< td=""><td colspan="6">ou=<manufacturing location=""> (optional)</manufacturing></td></manufactu<>	ou= <manufacturing location=""> (optional)</manufacturing>					
		cn= <device ide<="" td=""><td>entifier></td><td></td></device>	entifier>				
subjectAltName (option	nal)	dnsName(s)=					
, <u>, , , , , , , , , , , , , , , , , , </u>							
ther Certificate Conte	ents (For C	CableLabs and	CA use only)	:			
Version	,	v3 (0x02)	•				
Serial number		Unique Positive	Integer assigne	ed by the CA			
Issuer DN		c=US		•			
		o=CableLabs					
		ou=Device CA0	5				
		cn=CableLabs Device Certification Authority					
Not Before	<issuing date=""></issuing>						
Not After		<issuing date=""> + 5 years*</issuing>					
Public Key Algorithm		RSA (1 2 840 11	13549 1 1)				
Signature Algorithm		Sha256WithRSAEncryption (1 2 840 113549 1 1 11)					
Key size		2048-bits					
Parameters		NULL					
Standard Extensions	OID	Required	Critical	Value			
keyUsage	{id-ce 15}	YES	TRUE				
digitalSignature				Set (1)			
keyEncipherment				Set (1)			
extendedKeyUsage	{id-ce 37}	YES	FALSE				
svcCMTS				Set (id-cl-pki-ext-eku-CMTS)			
clientAuth				Set (id-kp-clientAuth)			
serverAuth				Set (id-kp-serverAuth)			
certificatePolicies	{id-ce 32}	YES	FALSE				
certPolicyId				Set (<1.3.6.1.4.1.4491.2021.1.5>)			
policyQualifiers				Not Set			
authorityKeyIdentifier	{id-ce 35}	YES	FALSE				
				Set (<sha-1 bit="" hash="" of="" string<="" td="" the="" value=""></sha-1>			
keyIdentifier		1		subjectPublicKey (excluding the tag, length, and number			
keyIdentifier							
				of unused bits)>)			
subjectAltName dNSName	{id-ce 17}	NO	FALSE	of unused bits)>) Set (FQDN)			

Signature:	Data
Signature.	Date:

EXHIBIT S3 - DOCSIS 4.0 CMTS FULL - NAMING APPLICATION (Section CA)

Company Name:						
Contact Name:			Phone:			
Contact E-mail:			<u> </u>			
Certificate Format (To	Be Comple	eted by Manuf	acturer):			
Subject DN		c=				
	0=					
	ou= <manufacturing location=""> (optional)</manufacturing>					
	cn= <device identifier=""></device>					
subjectAltName (optional)		dnsName(s)=				
· 1		. , ,				
ther Certificate Conte	ents (For C	CableLabs and	CA use only)	:		
Version	71105 (1 01 0	v3 (0x02)				
Serial number		Unique Positive	Integer assigne	ed by the CA		
Issuer DN		c=US	mieger waargine			
255401 2511		o=CableLabs				
		ou=Device CA05				
		cn=CableLabs I	Device Certifica	tion Authority		
Not Before		Suing Date>				
Not After		<issuing date=""></issuing>	+ 5 years*			
Public Key Algorithm		RSA (1 2 840 1				
Signature Algorithm		Sha256WithRSAEncryption (1 2 840 113549 1 1 11)				
Key size		2048-bits				
Parameters Parameters		NULL				
Standard Extensions	OID	Required	Critical	Value		
	C.1 15)	YES	TRUE			
keyUsage	{id-ce 15}	110	INCL			
keyUsage digitalSignature	{1a-ce 15}	TES .	IKUL	Set (1)		
digitalSignature	{1 d-ce 15}		TRUE	Set (1) Set (1)		
digitalSignature keyEncipherment				Set (1) Set (1)		
digitalSignature	{id-ce 15}	YES	FALSE	Set (1)		
digitalSignature keyEncipherment extendedKeyUsage				Set (1) Set (id-cl-pki-ext-eku-CMTS)		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS				Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth)		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth	{id-ce 37}			Set (1) Set (id-cl-pki-ext-eku-CMTS)		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth authorityKeyIdentifier		YES	FALSE	Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth) Set (id-kp-serverAuth)		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth	{id-ce 37}	YES	FALSE	Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth) Set (id-kp-serverAuth) Set (<sha-1 bit="" hash="" of="" string<="" td="" the="" value=""></sha-1>		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth authorityKeyIdentifier	{id-ce 37}	YES	FALSE	Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth) Set (id-kp-serverAuth)		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth authorityKeyIdentifier	{id-ce 37} {id-ce 35}	YES	FALSE	Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth) Set (id-kp-serverAuth) Set (<sha-1 (excluding="" and="" bit="" hash="" length,="" number<="" of="" string="" subjectpublickey="" tag,="" td="" the="" value=""></sha-1>		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth authorityKeyIdentifier keyIdentifier certificatePolicies	{id-ce 37}	YES	FALSE FALSE	Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth) Set (id-kp-serverAuth) Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" number="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">)</sha-1>		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth authorityKeyIdentifier keyIdentifier certificatePolicies certPolicyId	{id-ce 37} {id-ce 35}	YES	FALSE FALSE	Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth) Set (id-kp-serverAuth) Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" numbe="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">) Set (<1.3.6.1.4.1.4491.2021.1.5>)</sha-1>		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth authorityKeyIdentifier keyIdentifier certificatePolicies certPolicyId policyQualifiers	{id-ce 37} {id-ce 35} {id-ce 32}	YES YES	FALSE FALSE	Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth) Set (id-kp-serverAuth) Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" number="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">)</sha-1>		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth authorityKeyIdentifier keyIdentifier certificatePolicies certPolicyId policyQualifiers authorityInfoAccess	{id-ce 37} {id-ce 35} {id-ce 32} {id-pe 1}	YES	FALSE FALSE	Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth) Set (id-kp-serverAuth) Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" numbe="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">) Set (<1.3.6.1.4.1.4491.2021.1.5>) Not Set</sha-1>		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth authorityKeyIdentifier keyIdentifier certificatePolicies certPolicyId policyQualifiers authorityInfoAccess ocsp	{id-ce 37} {id-ce 35} {id-ce 32} {id-pe 1} {id-ad 1}	YES YES	FALSE FALSE	Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth) Set (id-kp-serverAuth) Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" number="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">) Set (<1.3.6.1.4.1.4491.2021.1.5>) Not Set Set (<http authoritative="" ocsp="" of="" responder="" uri="">)</http></sha-1>		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth authorityKeyIdentifier keyIdentifier certificatePolicies certPolicyId policyQualifiers authorityInfoAccess ocsp caIssuers	{id-ce 37} {id-ce 35} {id-ce 32} {id-pe 1} {id-ad 1} {id-ad 2}	YES YES YES	FALSE FALSE FALSE	Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth) Set (id-kp-serverAuth) Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" numbe="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">) Set (<1.3.6.1.4.1.4491.2021.1.5>) Not Set</sha-1>		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth authorityKeyIdentifier keyIdentifier certificatePolicies certPolicyId policyQualifiers authorityInfoAccess ocsp caIssuers crlDistributionPoints	{id-ce 37} {id-ce 35} {id-ce 32} {id-pe 1} {id-ad 1}	YES YES	FALSE FALSE	Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth) Set (id-kp-serverAuth) Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" number="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">) Set (<1.3.6.1.4.1.4491.2021.1.5>) Not Set Set (<http authoritative="" ocsp="" of="" responder="" uri="">) Set (<http ca="" der="" format="" in="" issuing="" of="" uri="">)</http></http></sha-1>		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth authorityKeyIdentifier keyIdentifier certificatePolicies certPolicyId policyQualifiers authorityInfoAccess ocsp calssuers crlDistributionPoints distributionPoint	{id-ce 37} {id-ce 35} {id-ce 32} {id-pe 1} {id-ad 1} {id-ad 2} {id-ce 31}	YES YES YES NO	FALSE FALSE FALSE FALSE	Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth) Set (id-kp-serverAuth) Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" number="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">) Set (<1.3.6.1.4.1.4491.2021.1.5>) Not Set Set (<http authoritative="" ocsp="" of="" responder="" uri="">)</http></sha-1>		
digitalSignature keyEncipherment extendedKeyUsage svcCMTS clientAuth serverAuth authorityKeyIdentifier keyIdentifier certificatePolicies certPolicyId policyQualifiers authorityInfoAccess ocsp caIssuers crlDistributionPoints	{id-ce 37} {id-ce 35} {id-ce 32} {id-pe 1} {id-ad 1} {id-ad 2}	YES YES YES	FALSE FALSE FALSE	Set (1) Set (id-cl-pki-ext-eku-CMTS) Set (id-kp-clientAuth) Set (id-kp-serverAuth) Set (<sha-1 (excluding="" and="" bit="" bits)="" hash="" length,="" number="" of="" string="" subjectpublickey="" tag,="" the="" unused="" value="">) Set (<1.3.6.1.4.1.4491.2021.1.5>) Not Set Set (<http authoritative="" ocsp="" of="" responder="" uri="">) Set (<http ca="" der="" format="" in="" issuing="" of="" uri="">)</http></http></sha-1>		

EXHIBIT S4 - CCAP CORE NO-REVOCATION INFORMATION (NRI) – NAMING APP (Sectigo CA)

Requestor Information	:					
Company Name:						
Contact Name:				Phone:		
Contact E-mail:		•				
Certificate Format (To	Be Compl	1	facturer):			
Subject DN		c=				
	0=					
		ou= <manufacturing location=""> (optional)</manufacturing>				
1: (A101 (: 1)		cn= <device identifier=""></device>				
subjectAltName (option	nai)	dnsName(s)=				
Other Certificate Cont	ents (For (ahleLahs and	l CA use only)	•		
Version	ciits (FOI (CableLabs and CA use only): v3 (0x02)				
Serial number		\ /	e Integer assigne	ed by the CA		
Issuer DN		c=US	e integer assigne	d by the CH		
ISSUEL DIV		o=CableLabs				
		ou=Device CA05				
			cn=CableLabs Device Certification Authority			
Not Before		<issuing date=""></issuing>				
Not After		<issuing date=""></issuing>				
Public Key Algorithm		RSA (1 2 840 113549 1 1)				
Signature Algorithm			Sha256WithRSAEncryption (1 2 840 113549 1 1 11)			
Key size		2048-bits				
Parameters		NULL				
Standard Extensions	OID	Required	Critical	Value		
keyUsage	{id-ce 15}	YES	TRUE			
digitalSignature				Set (1)		
keyEncipherment				Set (1)		
extendedKeyUsage	{id-ce 37}	YES	FALSE			
svcCCAP				Set (id-cl-pki-ext-eku-CCAP)		
svcCMTS				Set (id-cl-pki-ext-eku-CMTS)		
clientAuth				Set (id-kp-clientAuth)		
serverAuth				Set (id-kp-serverAuth)		
authorityKeyIdentifier	{id-ce 35}	YES	FALSE			
keyIdentifier				Set (<sha-1 (excluding="" and="" bit="" hash="" length,="" number<="" of="" string="" subjectpublickey="" tag,="" td="" the="" value=""></sha-1>		
				of unused bits)>)		
certificatePolicies	{id-ce 32}	YES	FALSE			
certPolicyId				Set (<1.3.6.1.4.1.4491.2021.1.5>)		
policyQualifiers				Not Set		
subjectAltName	{id-ce 17}	NO	FALSE			
dNSName				Set (FQDN)		
[*] The expiration shall not	exceed the iss	suing CA's one				
		_	hleLahs to set	your Device Certificates extensions as noted above.		
,, signing and documen	i, you nere	oy audiorize Ca	iorenaus to set	your Device Certificates extensions as noted above.		
lionature:				Date		

EXHIBIT S5 - CCAP CORE FULL - NAMING APPLICATION (Sectigo CA) Requestor Information:

Company Name:	
Contact Name:	Phone:
Contact E-mail:	

Certificate Format (To Be Completed by Manufacturer):

Subject DN	c=		
	0=		
	ou= <manufacturing location=""> (optional)</manufacturing>		
	cn= <device identifier=""></device>		
subjectAltName (optional)	dnsName(s)=		

Other Certificate Contents (For CableLabs and CA use only):

Version		v3 (0x02)				
Serial number		Unique Positive Integer assigned by the CA				
Issuer DN		c=US				
		o=CableLabs				
		ou=Device CA05				
		cn=CableLabs Device Certification Authority				
Not Before		<issuing date=""></issuing>				
Not After		<issuing date=""> + 25 years</issuing>				
Public Key Algorithm		RSA (1 2 840 113549 1 1)				
Signature Algorithm		Sha256WithRSAEncryption (1 2 840 113549 1 1 11)				
Key size	0 0		2048-bits			
Parameters		NULL				
Standard Extensions	OID	Required	Critical	Value		
keyUsage	{id-ce 15}	YES	TRUE			
digitalSignature				Set (1)		
keyEncipherment				Set (1)		
extendedKeyUsage	{id-ce 37}	YES	FALSE			
svcCCAP				Set (id-cl-pki-ext-eku-CCAP)		
svcCMTS		Set (id-cl-pki-ext-eku-CMTS)		Set (id-cl-pki-ext-eku-CMTS)		
clientAuth		Set (id-kp-clientAuth)				
serverAuth		Set (id-kp-serverAuth)		Set (id-kp-serverAuth)		
authorityKeyIdentifier	{id-ce 35}	YES	FALSE			
keyIdentifier				Set (<sha-1 bit="" hash="" of="" string<="" td="" the="" value=""></sha-1>		
				subjectPublicKey>)		
certificatePolicies	{id-ce 32}	YES	FALSE			
certPolicyId				Set (<1.3.6.1.4.1.4491.2021.1.5>)		
policyQualifiers				Not Set		
crlDistributionPoints	{id-ce 31}	NO	FALSE			
distributionPoint				Set (<http crl="" der="" for="" format="" in="" relevant="" uri="">)</http>		
authorityInfoAccess	{id-pe 1}	NO	FALSE			
ocsp	{id-ad 1}			Set (<http authoritative="" ocsp="" of="" responder="" the="" uri="">)</http>		
calssuers	{id-ad 2}			Set (<http ca="" certificate="" der<="" in="" issuing="" of="" td="" the="" uri=""></http>		
				format>)		
subjectAltName	{id-ce 17}	NO	FALSE			
dNSName			Set (FQDN)			

[*] The expiration shall not exceed the issuing CA's one

By signing this document,	you hereby authorize	CableLabs to se	et your Device	Certificates extensions	as noted above
Signature:				Date:	